Cumulative Index 1981–1983

Volumes 61, 62, and 63

SYMPOSIA

1981

February LIVER, SPLEEN, AND PANCREAS
April PRACTICAL SURGERY OF THE HAND
June SURGICAL NUTRITION
August BILIARY TRACT DISEASE
October PEDIATRIC SURGERY
December ADJUVANT TREATMENT OF CANCER

1982

February TRAUMA
April SURGERY IN THE MEDICALLY COMPROMISED PATIENT
June SELECTED PROBLEMS IN VENOUS AND ARTERIAL DISEASE
August SURGICAL HEALTH CARE DELIVERY
October SURGICAL ENDOSCOPY OF THE GASTROINTESTINAL TRACT
December UROLOGIC SURGERY

1983

February COLON AND RECTAL SURGERY
April CRITICAL ILLNESS
June ORTHOPEDIC SURGERY
August ESOPHAGEAL SURGERY
October SURGERY IN THE CARDIAC PATIENT
December COMPLICATIONS OF COMMON PROCEDURES

Note: Page numbers of symposia and articles are in **boldface** type.
The volume year is in *italic* type.

ABDOMEN.trauma to, *1982*: Feb., **105–111**
wall of, congenital defects of, *1981*: Oct., **1037–1049**
Abdominal pain, in children, *1981*: Oct., 1120
Abdominoperineal resection, neurologic sequelae, *1982*: Dec., **1075–1083**
with colostomy, *1983*: Feb., 131
Abruptio placenatae, *1982*: April, 285
Abscess. See also organ or part involved.
appendiceal, drainage of, *1983*: Dec., 1238
interval appendectomy and, *1983*: Dec., 1238
appendiceal stump, *1983*: Dec., 1243
biliary tract, aspiration and drainage, *1981*: Aug., 817
hepatic. See also *Liver*.
hepatic, as complication of appendicitis, 1983: Dec., 1240–1241
intra-abdominal, percutaneous aspiration and drainage, *1982*: April, 236–237
pancreatic, *1981*: Aug., 935
pelvic, after appendectomy, *1983*: Dec., 1241–1243
drainage, *1983*: Dec., 1242
peripancreatic, *1981*: Feb., 68
retroperitoneal, postoperative, CT detection of, *1982*: Dec., 927
subphrenic, after splenectomy, *1983*: Dec., 1317–1318
Acalculous cholecystitis, after trauma, *1981*: June, 676
Achalasia, esophageal, diagnosis of, *1983*: Aug., 965
endoscopy of, *1983*: Aug., 807
spasm and, *1983*: Aug., 955
treatment of, *1983*: Aug., **963–970**
esophagomyotomy, *1983*: Aug., 933–968
forceful dilatation, *1983*: Aug., 965–966
myotomy and dilatation compared, *1983*: Aug., 970
Acidosis, secondary to hypovolemia, *1982*: Feb., 39
Actinomycin, in combination chemotherapy for malignant melanoma, *1981*: Dec., 1253
Acute cholecystitis, *1981*: Aug., 875–881
^{99m}Tc cholescintigraphy in, *1981*: Aug., 831
Acute inflammation, cellular and subcellular mediators, *1983*: April, **225–243**
C5a and locus of inflammation, *1983*: April, 233–239
complement system, *1983*: Arpil, 230–233
neutrophils and C5a/C5a$_{\text{des arg}}$, *1983*: April, 233–239
des arg form, *1983*: April, 233–239
Acute renal failure, *1983*: April, 319–321
acute tubular necrosis, *1983*: April, 362–364
in surgical patients, *1983*: April, **357–377**
hyperalimentation in, *1983*: April, 371–373
intrinsic parenchymal renal disease, *1983*: April, 362
mortality, *1983*: April, 369–370
multiple system failure, *1983*: April, 368–369
oliguria, clinical patterns, *1983*: April, 365–368
postrenal causes, *1983*: April, 362
prerenal causes, *1983*: April, 359–362
Acute respiratory distress syndrome, *1981*: June, 674–675
Acute respiratory failure, *1983*: April, **337–355**
causes, *1983*: April, 348–350
definition, *1983*: April, 341–342
perfusion in, *1983*: April, 345–348
positive end-expiratory pressure, *1983*: April, 343–344
treatment, *1983*: April, 352–354
ventilation in, *1983*: April, 342–345
Adenocarcinoma, of colon, resectable, 5-fluorouracil for, *1981*: Dec., 1316–1317
renal, *1982*: Dec., **1101–1118**
Adenoma, *1982*: Oct., 862–863
colonic, possible development of from polyps, *1982*: Oct., 861–862
in colitis, *1982*: Oct., 907
large bowel, in polypoid disease, *1983*: Feb., 118
renal, *1982*: Dec., 1103
with invasive cancer, clinical management, *1982*: Oct., 866–867
endoscopic appearance of, *1982*: Oct., 866
relation of size to, *1982*: Oct., 865–866
Adenosine triphosphate, in intravenous nutrition, *1981*: June, 515
Adjuvant therapy, surgical, for malignant melanoma, *1981*: Dec., 1259–1266
Adriamycin, for nonseminomatous testicular cancer, *1981*: Dec., 1334
Adult respiratory distress syndrome, *1982*: Feb., **121–132**, *1983*: April, 317–319
sepsis-induced, *1983*: April, 349–350
Adventitial cystic disease, of popliteal artery, *1982*: June, 454–460
Aerophagia, in children, *1981*: Oct., 1182
Air embolism, *1982*: Feb., 101
Air spaces, persistent, after pulmonary resection, *1983*: Dec., 1265–1266
Airway. See also *Ventilation*.
maintenance of in trauma, *1982*: Feb., 74
obstruction of, *1982*: Feb., 100

Airway management, of patient in shock, initial, *1982*: Feb., 10
Albumin, and hypovolemic shock, *1983*: April, 446–448
serum, assessment of visceral protein, *1981*: June, 457
Alcohol, pancreatitis and, *1981*: Feb., 56
Alginic acid, sphincter tone and, *1983*: Aug., 845
Allen-Brown shunt, *1982*: June, 537
Alpha-fetoprotein, as tumor marker, *1981*: Dec., 1332
in testicular tumors, *1982*: Dec., 1120–1121
Alpha maneuver, colonoscopic technique, *1982*: Oct., 892
Ambulatory surgery, *1982*: Aug., **685–704**
obstetric delivery as, *1982*: Aug., 699
Amebic colitis, endoscopic appearance, *1982*: Oct., 909
American Board of Family Practice, establishment of, *1982*: Aug., 584–585
Amikacin, for intra-abdominal abscess, *1982*: April, 234–235
Amino acids, in intravenous nutrition, *1981*: June, 515
requirements, *1981*: June, 495, 496
Aminoglycosides, in patients with hepatic dysfunction, *1982*: April, 334
in patients with renal dysfunction, *1982*: April, 336
Amniocentesis, *1982*: April, 283–284
Amniotic membranes, rupture of, *1982*: April, 285
Amputation, *1983*: June, 749–770
of fingertip, *1981*: April, 249–254
postsurgical management in, *1983*: June, 765–767
principles of, *1983*: June, 750–751
team approach to *1983*: June, 767–768
Amylase, *1981*: Feb., 49
Anal incontinence, cause, *1983*: Feb., 178–179
management of, *1983*: Feb., **177–192**
nonsurgical treatments, *1983*: Feb., 179–180
normal function of sphincter, *1983*: Feb., 177
surgical treatments, *1983*: Feb., 181–191
apposition, *1983*: Feb., 182–183
gracilis muscle transposition, *1983*: Feb., 186–191
overlapping, *1983*: Feb., 183
reefing, *1983*: Feb., 183
Anal stricture, after anorectal operation, *1983*: Dec., 1255–1256
Anastomoses, leakage of, and colorectal surgery, *1983*: Dec., 1222–1223
Anastomotic aneurysm, complication of aortic reconstruction, *1983*: Dec., 1284–1285
Androgens, for impotency, *1982*: Dec., 986
Anesthesia. See also specific agents.
and management of surgical patient with heart disease, *1983*: Oct., **1035–1048**
effects on respiration, *1983*: Oct., 1070–1071
for major trauma, *1982*: Feb., **31–45**
regional versus general, *1982*: Feb., 34
for patient with impaired pulmonary function, *1982*: April, 207–211
hypertensive response to, and operative risk of, *1983*: Oct., 1028–1030
in infants and children, *1981*: Oct., **997–1012**; *1982*: Dec., 948
monitoring of, *1983*: Oct., 1046–1047
technique of, *1983*: Oct., 1047
Aneurysm, abdominal aortic, CT detection of, *1982*: Dec., 929, 932
anastomotic, complication of aortic reconstruction, *1983*: Dec., 1284–1285
aortic, thoracoabdominal, *1982*: June, **441–448**
false, femoral, *1982*: June, **431–440**
in upper extremity, *1982*: June, 380–381
Aneurysmorrphaphy, false, *1982*: June, 437–438
Aneurysmectomy, infrarenal aortic, *1983*: Dec., **1269–1292**
complications of, *1983*: Dec., 1273–1288
surgical management of, *1983*: Dec., 1269–1273
Angiography, cerebral, *1982*: Feb., 50, 52
for renal carcinoma, *1982*: Dec., 1107–1108
for renal trauma, *1982*: Dec., 1056
for vascular injury, *1982*: Feb., 115
Angioinfarction, of renal adenocarcinoma, *1982*: Dec., 1111–1112
Angioplasty, percutaneous transluminal, *1982*: June, **357–372**
Ankle, amputations through, *1983*: June, 755–757
joint fractures of, *1983*: June, 662
Ankylosing spondylitis, *1983*: June, 524
Annular pulley, *1981*: April, 270
Anorectal operations, complications of, *1983*: Dec., **1249–1257**
local, *1983*: Dec., 1250–1256
anal stricture, *1983*: Dec., 1255–1256
constipation and impaction, *1983*: Dec., 1252
hemorrhage, *1983*: Dec., 1250–1252
incontinence, *1983*: Dec., 1254–1255
infection, *1983*: Dec., 1253–1254
urinary retention, *1983*: Dec., 1252–1253
systemic, *1983*: Dec., 1249–1250
Anorexia, in cancer, *1981*: June, 693

Anterior spinal artery syndrome, complication after aneurysmectomy, *1983*: Dec., 1278–1279
Antibiotics. See also names of drugs.
in colon surgery, *1983*: Feb., **3–9**
parenteral prophylaxis, *1983*: Feb., **5–6**
prophylactic, use in vascular prosthetic operations, *1982*: June, 517
and graft infection after aneurysmectomy, *1983*: Dec., 1281
selection in infection, *1983*: Feb., 7–8
Antibiotic-related colitis, endoscopic appearance, *1982*: Oct., 909–910
Anticancer agents. See *Chemotherapy*.
Anticoagulant therapy, in noncardiac surgery patient, *1983*: Oct., 1011–1012
perioperative management and, *1983*: Oct., 1054–1055
Anticonvulsants, use after head injury, *1982*: Feb., 58–59
Anti-diuretic hormone, release of in shock, *1982*: Feb., 23
Antihypertensive drugs, perioperative management and, *1983*: Oct., 1053–1054
Antimicrobial agents, use in hepatic and renal dysfunction, *1982*: April, **333–340**
Anti-shock garment, *1982*: Feb., 25
Anus, examination of before colonoscopy, *1982*: Oct., 871
Aorta, aneurysm of, thoracoabdominal, *1982*: June, **441–448**
coarctation of, *1981*: Oct., 1070
grafts of, infection of, diagnosis, *1982*: June, 522–524
infrarenal, atherosclerosis of, *1983*: Oct., 998
aneuyrsm, *1983*: Oct., 998
stenosis of, anesthesia of the surgical patient with, *1983*: Oct., 1043–1044
neonatal repair, *1981*: Oct., 1073
visceral, branches of, occlusive disease in, *1983*: Oct., 997
Aortic insufficiency, anesthesia of the surgical patient with, *1983*: Oct., 1044
Aortoenteric fistula, complication after aortic prosthetic reconstruction, *1983*: Dec., 1283–1284
symptoms of, *1983*: Dec., 1283
Aortofemoral bypass, prediction of operative success, *1982*: June, 483–484
Aortoiliac steal syndrome, *1982*: June, 351–352
Apnea, after repair of esophageal atresia, *1981*: Oct., 1058
Appendectomy, age and mortality, *1983*: Dec., 1235
cancer and, *1983*: Dec., 1245
complications of, *1983*: Dec., **1233–1247**
hemorrhage after, *1983*: Dec., 1244
Appendectomy *(Continued)*
incidence of right inguinal hernia and, *1983*: Dec., 1245
interval, *1983*: Dec., 1238
perforated appendix, and complications, *1983*: Dec., 1235–1236
and mortality, *1983*: Dec., 1235
technique, *1983*: Dec., 1233–1234
wound infection and, *1983*: Dec., 1239–1240
Appendiceal stump, intussusception of, *1983*: Dec., 1244
abscess of, *1983*: Dec., 1243
Appendicitis, in children, *1981*: Oct., **1117–1124**
pregnancy and, *1983*: Dec., 1244–1245
Appendix, perforated, and complication of appendectomy, *1983*: Dec., 1235
Appendix epididymis, torsion of, *1982*: Dec., 965
Appendix testis, torsion of, *1982*: Dec., 965–966
Apposition, in sphincter repair, *1983*: Feb., 182–183
Arachidonic acid, for inhibition of platelet aggregation, *1983*: June, 534
ARDS. See *Acute respiratory distress syndrome (ARDS)*.
Arm. See also *Upper extremity*.
amputations of, *1983*: June, 763–765
supracondylar fractures of, *1983*: June, 654
total joint replacement in, *1983*: June, **715–735**
vascular disease of, *1982*: June, **373–389**
Arm muscle area, measurement, *1981*: June, 453–454
Arrhythmias, in surgical patients, *1982*: Oct., 1003–1006
paroxysmal supraventricular tachycardia, pediatric, *1983*: Oct., 1005
postoperative, diagnosis and management of, *1983*: Oct., **1091–1102**
causes, *1983*: Oct., 1092–1093
diagnosis, *1983*: Oct., 1093–1094
electrocardiogram in, *1983*: Oct., 1093
incidence of, *1983*: Oct., 1091–1092
Arterial occlusive disease, in upper extremity, *1983*: Oct., 994
Arteriography, after blunt chest trauma, *1982*: Feb., 116
for graft infection, *1982*: June, 521–522
stroke following, *1982*: June, 470
Arteriosclerosis, of arm, *1982*: June, 374–375
Arteriotomy, and complication in carotid endarterectomy, *1983*: Dec., 1297–1298

Arteriovenous fistula, for vascular access, *1982*: June, 539–540
Arteriovenous malformation, colonic, as cause of rectal bleeding, *1982*: Oct., 901
congenital, *1982*: June, 384–385
Arteritis, *1982*: June, 375
Artery(ies). See also under specific artery.
Artery(ies), injury to, compartment syndromes after, *1983*: June, 549–550
disease of selected problems in, symposium on, *1982*: June, **345–552**
mesenteric, anatomy of, *1982*: June, 345–347
occlusive disease of, *1982*: June, 347
peripheral, disease of, noninvasive tests for, *1982*: June, **473–487**
Arthritis, inflammatory, development of, *1981*: April, 365–366
immunopathology of, *1981*: April, **353–368**
posttraumatic, diagnosis of, *1983*: June, 577–578
total joint arthroplasty in, *1983*: June, **697–714**
Arthrodesis, of wrist, *1983*: June, 723
Arthroplasty, *1983*: June, **697–714**
complications of, *1983*: June, 698–700
implant, in hand, *1981*: April, **369–382**
in upper extremity, *1981*: April, 369–382
implant resection, *1981*: April, 372–373
of elbow, *1983*: June, 718–723
of finger joints, *1983*: June, 726–734
of hip, *1983*: June, 701–706
of knee, *1983*: June, 706–712
of shoulder, *1983*: June, 715–718
of wrist, *1983*: June, 723–726
resection, *1981*: April, 371
Arthroscopy, diagnostic and operative, *1983*: June, **599–605**
instrumentaiton for, *1983*: June, 600–601
ASA physical status code, and risk factors and surgical outcome, *1983*: Oct., 1117–1119
Ascites, chylous, complication of abdominal aortic aneurysmectomy, *1983*: Dec., 1288
pancreatic, *1981*: Feb., 76
Ascorbic acid, *1981*: June, 501–502
Asphyxia, traumatic, in infants and children, *1981*: Oct., 1185
Aspiration, drainage and, percutaneous, of intra-abdominal abscess, *1982*: April, 236–237
Aspiration biopsy, for prostatic carcinoma, *1982*: Dec., 1085–1087
radiographically guided, of biliary tract, *1981*: Aug., 814–817
Aspiration pneumonia, and respiratory failure, *1983*: April, 348
Asthma, physiology of lungs in, *1980*: Dec., 1333
Atelectasis, after thoracic trauma, *1982*: Feb., 103
and respiratory failure, *1983*: April, 348
as complication of gastric restrictive procedure, *1983*: Dec., 1188
Atrial filbrillation, diagnosis, compared with ventricular premature depolarization, *1983*: Oct., 1098–1099
electrocardiographic characteristics of, *1983*: Oct., 1097–1098
therapy for, *1983*: Oct., 1099
with slow ventricular response, pacing of, *1983*: Oct., 1109
Atrial flutter, electrocardiographic characteristics, *1983*: Oct., 1097
Atrial premature depolarization, *1983*: Oct., 1095
Atrioventricular block, temporary pacing before noncardiac surgery, *1983*: Oct., 1109–1110
Attachment, in child's psychosocial development, *1982*: Dec., 943–945
Autologous bone grafting, *1983*: June, 623–627
Automobile accidents, during pregnancy, *1982*: April, 280
Autotransfusion, posttraumatic, *1982*: Feb., 14
Avascular necrosis, after musculoskeletal trauma, *1983*: June, 575–577
Axial pattern skin flap, for radiation wound, *1982*: April, 312, 315
Azotemia, renal vascular occlusive disease and, *1983*: Oct., 997

β-BLOCKERS, effects on airway, *1983*: Oct., 1070–1071
therapy for angina pectoris, *1983*: Oct., 1085
withdrawal syndrome and operative risk, *1983*: Oct., 1025–1027
B lymphocytes, *1983*: April, 246
Bacillus calmette-Guerin (BCG), for large bowel carcinoma, *1981*: Dec., 1298
for lung cancer, intralesional injection, *1981*: Dec., 1292
for malignant melanoma, *1981*: Dec., 1250–1251, 1252, 1260–1261, 1269
chemotherapy and, *1981*: Dec., 1253
compared with *C. parvum*, *1981*: Dec., 1250
with neuraminidase-treated allogeneic cells, *1981*: Dec., 1269
for superficial bladder tumors, *1981*: Dec., 1335–1336
intradermal, for lung cancer, *1981*: Dec., 1290–1291

Bacillus calmette-Guerin *(Continued)*
intrapleural, for lung cancer, *1981*: Dec., 1291–1292
methanol extract residue of. See *MER*.
toxicity of, *1981*: Dec., 1274
Back, physical examination of, *1983*: June, 519–520
Back pain, acute, *1983*: June, 521–524
chronic, *1983*: June, 524–525
diagnosis of, *1983*: June, 519–521
low, *1983*: June, **515–528**
nonorganic causes of, *1983*: June, 520
origin of, *1983*: June, 518
treatment for, *1983*: June, 525–526
Battered children, *1983*: June, 665
Back ailments, in geriatric patients, *1982* April, **291–295**
Bacteremia, transient, induced by colonoscopy, *1982*: Oct, 891
Ballance's sign, *1981*: Feb., 3
Balloon tip catheter, in endoscopic stone removal, *1981*: Aug., 858
Barium contrast studies, for infected intra-abdominal aortic graft, *1982*: June, 522–523
Barrett's esophagus, *1983*: Aug., 888
Basal energy expenditure (BEE), equation, *1981*: June, 493
Basal metabolic rate (BMR), *1981*: June, 493, 545–547, 574–575
in disease, *1981*: June, 577
Base deficit, whole body, formula for calculating, *1982*: Feb., 39
Battle's sign, *1982*: Feb., 48
BCG. See *Bacillus Calmette-Guerin (BCG)*.
BCNU, in combination chemotherapy for malignant melanoma, *1981*: Dec., 1253
toxicity of, *1981*: Dec., 1274
Beckwith-Weidemann syndrome, *1981*: Oct., 1039
BEE. See *Basal energy expenditure (BEE)*.
Belsey hernia repair, and peptic stricture, *1983*: Aug., 896
Belsey MARK IV operation, and esophagitis, *1983*: Aug., 861, 865
Benzodiazepines, cardiovascular effects of, *1983*: Oct., 1040
Bethanechol, sphincter tone and, *1983*: Aug., 845
Bile, cholesterol supersaturation of and lithogenesis, *1981*: Aug., 765–766, 876, 893–894
role of pancreatitis, *1981*: Aug., 924–925
Bile duct. See *Common bile duct*.
Biliary atresia, *1981*: Oct., **1079–1088**
Biliary obstruction, in neonate, *1981*: Aug., 987–992
Biliary-pancreatic reflux esophagitis, prevention and treatment of, *1983*: Aug., **851–858**
Biliary stricture, *1981*: Aug., **963–972**
Biliary tract, CT of, *1981*: Aug., 789
disease, pediatric, ^{99m}Tc cholescintigraphy in, *1981*: Aug., 838, 840
symposium on, *1981*: Aug., **765–992**
ultrasound versus computed tomography, *1981*: Aug., 787–788
drainage, internal, *1981*: Aug., 783–784
percutaneous transhepatic approach, *1981*: Aug., 783
obstruction, extraphepatic, *1981*: Feb., 75
Biliary system, ultrasound examination of, *1981*: Aug., 791–794
Biliary tree, extrahepatic, disease, cholangiography of, *1981*: Aug., 847 852–853
intrahepatic, CT examination of, *1981*: Aug., 801, 806
diseases, cholangiography of, *1981*: Aug., 846–847
ultrasound examination of, *1981*: Aug., 800–801, 806
obstruction of, endoscopic management, *1982*: Oct., **837–844**
radiology of, *1981*: Aug., **775–786**
radionuclide imaging of, *1981*: Aug., **827–842**
Bilirubin, in assessment of liver function, *1981*: Feb., 198
Biopsy. See also names of specific organ.
aspiration. See *Aspiration biopsy*.
fine needle, of retroperitoneal lymph nodes, CT in, *1982*: Dec., 922
in diagnosis of musculoskeletal tumors, *1983*: June, 680
of pancreatic lesions, *1981*: Feb., 108
operative, of pancreas, *1983*: Dec., 1208–1209
value of, *1983*: Dec., 1211–1212
complications of, *1983*: Dec., 1209
technique, *1983*: Dec., 1210–1211
pancreatic, *1983*: Dec., **1205–1214**
Biosterometrics, *1981*: June, 746–747
Birth fractures, *1983*: June, 663
Bladder, dysfunction of, in children, diversion and undiversion procedures in, **1147–1164**
neurogenic, *1982*: April, 269
injury to, *1982*: Dec., 1069–1070
as complication of colon surgery, *1983*: Dec., 1220–1221
invasive cancer of, cystectomy and urinary diversion for, *1981*: Dec., 1336
stress incontinence of, *1980*: April, **425–435**; *1982*: Dec., **1035–1045**
superficial tumors of, treatment, *1981*: Dec., 1335–1336
Bleeding. See also *Hemorrhage*.
intra-abdominal, during pregnancy, *1982*: April, 285–287
rapid external, control of, *1982*: Feb., 10

Bleeding *(Continued)*
rectal, colonoscopic diagnosis and management, *1982*: Oct., **897–903**
upper gastrointestinal, electrocoagulation for, *1982*: Oct., **797–806**
Bleomycin, for nonseminomatous testicular cancer, *1981*: Dec., 1333–1334
Blind loop syndrome, nutritional problems, *1981*: June, 727
Blood, banked, changes occurring with use of, *1982*: Feb., 13
antithrombin III and, *1983*: April, 491–492
coagulation and transfusion, *1983*: April, 492–493
CPD-A preservatives in, *1983*: April, 483–484
developments in, *1983*: April, **483–495**
2,3 DPG and function of red cells, *1983*: April, 488–489
fibronectin, transfusion of, *1983*: April, 489–490
halogenated hydrocarbons, *1983*: April, 485–487
hepatitis, *1983*: April, 493–494
parenteral IgG, *1983*: April, 490–491
stroma-free hemoglobin, *1983*: April, 487–488
Blood pressure, ankle, postexercise, *1982*: June, 480–481
ideal intraoperative, *1983*: Oct., 1027–1028
segmental, measurement of, *1982*: June, 475–476
BMR. See *Basal metabolic rate (BMR)*.
congenital, *1981*: Oct., 1024
Body composition, effect of stress on, *1981*: June, 732–734
measurement, *1981*: June, 731–732
normal, *1981*: June, 730–731
Body temperature, regulation, *1981*: June, 547–549
Body weight, as percentage of ideal body weight, equation, *1981*: June, 448
excessive. See *Obesity*.
ideal, determination, *1981*: June, 446–448
in nutritional assessment, *1981*: June, 448–452
significance of, formula, *1981*: June, 448
usual, per cent, equation, *1981*: June, 448
Boerema anterior gastropexy, *1981*: Oct., 1109
Bombesin, *1981*: Feb., 52
Bone, avascular necrosis of, computed tomography in, *1983*: June, 593
characteristics in children, *1983*: June, 629–635
cysts of, *1983*: June, 665
disease of, in children, *1983*: June, 666–669
Bone *(Continued)*
necrosis of, after implantation, *1983*: June, 601
remodeling of, in children, *1983*: June, 631–633
sarcomas of, *1983*: June, 671. See also *Musculoskeletal sarcoma*.
surgical staging of, *1983*: June, 675
tumors of, *1983*: June, 581
Bone grafts, *1983*: June, 623–627
autogenous, for digital aplasia, *1981*: April, 418
healing rate of, bone scanning in, *1983*: June, 573
vascularized, *1983*: June, 744–746
Bone scanning, in fracture management, *1983*: June, 571–575
in musculoskeletal trauma, *1983*: June, **567–585**
technique of, *1983*: June, 568
Bougienage, of esophageal spasm, *1983*: Aug., 957
of peptic strictures, *1983*: Aug., 895–896
Bovine heterografts, for vascular access, *1982*: June, 546
Bowel. See also *Colon; Gastrointestinal tract; Intestines*.
preparation of, for colonoscopy, complications, *1982*: Oct., 889–890
for surgery, *1983*: Dec., 1216–1219
Bowel disease, inflammatory, in children, *1981*: Oct., **1125–1135**
Bowstring sign, *1983*: June, 520
Brachial plexus, traumatic injuries to, *1981*: April, **341–351**
repair of shoulder in, *1981*: April, 344
Bracing, for low back pain, *1983*: June, 523
Bradycardia, sinus, postoperative, *1983*: Oct., 1101
Breast, cancer of, local recurrence, *1983*: Dec., 1348
nerves, injury from mastectomy, *1983*: Dec., 1334–1336
postmastectomy entrapment of, *1983*: Dec., 1346–1347
Breast surgery, fictional case history, use in study of surgical decision-making, *1982*: Aug., 724–725
Brescia-Cimino fistula, *1982*: June, 540–542
Bridge arteriovenous fistula, *1982*: June, 542–546
Bronchiectasis, treatment for, *1982*: April, 202–203
Bronchopleural fistula, formation of, after pulmonary resection, *1983*: Dec., 1266–1267
Bronchoscopy, complications of, *1983*: Dec., 1262
Broker frame, *1983*: June, 609

Broviac catheter, in total parenteral nutrition, *1982*: June, 532
placement of, *1981*: June, 623; *1982*: June, 535–537
Bryant traction, compartment syndrome after, *1983*: June, 541, 552
in children, *1983*: June, 649
Buckle fracture, *1983*: June, 630
Buerger's disease, *1982*: June, 383
Burns, during pregnancy, *1982*: April, 280
Burn inhalation injury, in infants and children, *1981*: Oct., 1185
Burn injuries, compartment syndromes after, *1983*: June, 546–548
Bypass. See under specific type.
Bypass grafting, of mesenteric vessels, *1982*: June, 350

C5A, leukocyte stimulation, *1983*: April, 266–267
locus of inflammation, *1983*: April, 233–239
Calculus, biliary. See *Common bile duct, stones.*
Cancer. See *Carcinoma.*
Cannulation, percutaneous, for temporary vascular access, *1982*: June, 539
Cantrell, pentalogy of, *1981*: Oct., 1039
Capmul, dissolution of retained stones, *1981*: Aug., 945
Carbohydrate, in intravenous nutrition, *1981*: June, 514
Carcinoembryonic antigen (CEA), *1981*: Feb., 204
Carcinogenesis, diet and, *1981*: June, 691–692
Carcinoma. See also *Tumors*, or specific types or organs affected.
adjuvant therapy for, rationale for, *1981*: Dec., **1245–1247**
anorexia in, *1981*: June, 693
bile duct, *1981*: Aug., **981–986**
bladder, invasive, cystectomy and urinary diversion for, *1981*: Dec., 1336
breast, local recurrence of, *1983*: Dec., 1348
bronchial, natural history after resection, *1981*: Dec., **1279–1287**
TNM staging of, *1981*: Dec., 1283
bronchogenic. See *Lung, carcinoma.*
cachexia, *1981*: June, 692, 694
chemotherapy. See *Chemotherapy.*
colon, recurrent, *1983*: Feb., 151–160
combined immunotherapy and chemotherapy for, *1981*: Dec., 1306–1307
immunotherapy for, *1981*: Dec., 1306–1307
in chronic ulcerative colitis, *1982*: Oct., 907–908
Carcinoma *(Continued)*
esophageal, *1983*: Aug., **933–940**
palliation, *1983*: Aug., 937
surgical technique in, *1983*: Aug., 936–937
in ulcerative colitis, surveillance for, *1982*: Oct., 910–911
genitourinary, adjuvant therapy for, *1981*: Dec., **1331–1346**
large bowel, adjuvant therapy, *1981*: Dec., **1311–1320**
BCG for, *1981*: Dec., 1298
chemo-immunotherapy for, *1981*: Dec., 1319
5-fluorodeoxyuridine for, *1981*: Dec., 1315
5-fluorouracil for, *1981*: Dec., 1297–1299, 1315–1317, 1321–1329
after palliative resection, *1981*: Dec., 1326
principles of operation for, *1981*: Dec., 1296
prolonged intermittent 5-fluorouracil for, *1981*: Dec., 1317–1318
recurrence and death rates after curative resection, *1981*: Dec., 1323–1326
Thiotepa for, *1981*: Dec., 1297, 1315
unfavorable prognostic signs, *1981*: Dec., 1317
liver, *1981*: Feb., **169–180**
lung. See *Lung.*
metabolism in, *1981*: June, 694–696
nutrition in, *1981*: June, **691–700**
nutritional support in, *1981*: June, 697–698
pancreatic. See *Pancreas.*
prostatic, *1982*: Dec., **1085–1099**
radiation therapy for. See *Radiation therapy.*
rectal. See *Rectum.*
rectum, surgical options for, *1983*: Feb., **129–135**
testicular, nonseminomatous, chemotherapy for, *1981*: Dec., 1333–1334
radiotherapy for, *1981*: Dec., 1333
surgery plus radiotherapy for, *1981*: Dec., 1334
therapy, deleterious nutritional effects, *1981*: June, 696–697
Cardiac. See also *Heart.*
Cardiac cachexia, *1981*: June, 635–641
Cardiac catheterization, and monitoring of patient, *1983*: Oct., 1059
Cardiac death, postoperative, preoperative predictors, *1983*: Oct., 979–980
Cardiac dysfunction, complication after aneurysmectomy, *1983*: Dec., 1275–1276
Cardiac failure, nutritional support in, *1981*: June, **635–652**; *1982*: April, 328

Cardiac glycosides, and perioperative management, *1983*: Oct., 1050–1051
Cardiac invasive monitoring, and assessment of operative risk, *1983*: Oct., 1120–1121
Cardiac monitoring, in postoperative patient with heart disease, *1983*: Oct., **1057–1067**
case studies, *1983*: Oct., 1059–1063
Cardiac patient, surgery in, symposium on, *1983*: Oct., **975–1126**
Cardiac risk index, and risk of postoperative cardiac complications, *1983*: Oct., 1115
variables of, *1983*: Oct., 1116
Cardiac output, *1982*: Feb., 20–21
in critically ill patient, *1983*: April, 458–459
dobutamine, *1983*: April, 475–476
dopamine, *1983*: April, 475
vasodilator therapy, *1983*: April, 472–473
volume infusion, *1983*: April, 469–472
Cardiac surgery, in neonates, *1981*: Oct., **1063–1078**
Cardiac tamponade, *1982*: Feb , 101
in infants and children, *1981*: Oct., 1194
Cardiomyopathy, anesthesia of the surgical patient with, *1983*: Oct., 1045
preoperative management of patients with, *1983*: Oct., 788–789
Cardiopulmonary bypass, in infants, *1981*: Oct., 1064–1066
Cardiopulmonary failure, prostaglandin and thromboxane in, *1983*: April, **263–283**
PGI_2, and inhibition of platelet aggregation, *1983*: April, 267–269
Cardiovascular physiology, in pediatric anesthesia, *1981*: Oct., 1004
Cardiovascular system, metabolic alterations from sepsis, *1983*: April, 380–384
Carotid artery, disease of, as cause of stroke, *1982*: June, 467–470
graft of, treatment of infection, *1982*: June, 527
Carotid bifurcation, atherosclerosis of, symptoms, *1983*: Oct., 995
Carotid endarterectomy, complications of, *1983*: Dec., **1293–1302**
stroke following, *1982*: June, 470–472
Carpal tunnel, anatomy of, *1981*: April, 269–270
injuries within, *1981*: April, 283
Casts, in children, *1983*: June, 648
Cataract extraction, fictional case history, use in study of surgical decision-making, *1982*: Aug., 726
Catheter, central venous, *1981*: June, 589
cuffed, venous cutdown insertion, *1981*: June, 587–588
Hickman, *1981*: June, 623; *1982*: June, 532, 535–537
Catheterization, for nasogastric feeding, *1981*: June, 610
infraclavicular subclavian, *1982*: June, 533–534
percutaneous techniques, *1982*: June, 534–535
peripheral venous, *1981*: June, 586–587
subclavian, *1981*: June, 584–586
transnasal biliary, *1982*: Oct., 829
Cavernous hemangioma, of liver, *1981*: Feb., 182–184
CEA. See *Carcinoembryonic antigen (CEA)*.
Cecum, volvulus of, in geriatric patient, *1982*: April, 255–257
Cefoxitin, for intra-abdominal abscess, *1982*: April, 235
Cell-mediated immunity, in malnutrition, *1981*: June, 558–563
Central nervous system, critical care in, *1983*: April, **401–416**
Glasgow coma scale, *1983*: April, 403, 405
head injury, neurologic assessment, *1983*: April, 404–407
brain death, *1983*: April, 412–413
management, *1983*: April, 408–409
multiple organ involvement, *1983*: April, 409–411
imaging of disorders, *1983*: April, 402, 407–408
hepatic failure and, *1981*: Feb., 224
Cephalosporins, aerobic pathogens in large bowel and, *1983*: Feb., 7–8
use in patients with hepatic dysfunction, *1982*: April, 334
Cerebral palsy, deformed thumb in, treatment, *1982*: April, 402
hemiplegic spastic hand in, surgery for, *1981*: April, **395–406**
Cerebrovascular disease, extracranial, in surgical patients, *1983*: Oct., 995–996
Cerulein, *1981*: Feb., 52
Chemonucleolysis, in low back pain, *1983*: June, 523
Chemotherapy, combination, for rectal carcinoma, *1981*: Dec., 1318–1319
for neuroblastoma, *1981*: Oct., 1233, 1235
for renal carcinoma, ineffectiveness of, *1982*: Dec., 1112
for testicular carcinoma, *1982*: Dec., 1125–1126
for Wilms' tumor, *1981*: Oct., 1225
Chenodeoxycholic acid, for gallstones, *1981*: Aug., 866–870
Chest wall, deformities, in children, *1981*: Oct., **1199–1207**
injuries to, in infants and children, *1981*: Oct., 1183
Chest wall weakness, and respiratory failure, *1983*: April, 352

Children. See also *Infants*.
appendicitis in, *1981*: Oct., **1117–1124**
battered, *1983*: June, 665
characteristics of bone in, *1983*: June, 629–635
chest wall deformities in, *1981*: Oct., **1199–1207**
fracture management in, *1983*: June, **629–670**
gastroesophageal reflux in, *1981*: Oct., **1101–1115**
gender identity in, *1982*: Dec., 945
hepatic trauma in, *1981*: Oct., **1165–1180**
inflammatory bowel disease in, *1981*: Oct., **1125–1135**
inguinal hernia and hydrocele in, *1981*: Oct., **1137–1145**
liver tumors in, *1981*: Oct., **1209–1217**
orthopedic disease in, computed tomography in, *1983*: June, 594–595
parenteral nutrition in, *1981*: Oct., **1089–1100**
splenic trauma in, *1981*: Oct., **1165–1180**
thoracic trauma in, *1981*: Oct., **1181–1197**
urinary diversion and undiversion in, *1981*: Oct., **1147–1164**
Chlorambucil, oral, for nonseminomatous testicular cancer, *1981*: Dec., 1334
Chloramphenicol, use in patients with hepatic dysfunction, *1982*: April, 334–335
Cholangiography. See also *Intravenous cholangiography* and *Percutaneous transhepatic cholangiography*.
in acute cholecystitis, *1981*: Aug., 878
of common bile duct, intraoperative, *1981*: Aug., 940–941
operative, *1981*: Aug., 780–781; *1982*: Oct., 854
for choledocholithiasis, *1981*: Aug., 900–901
postoperative, *1981*: Aug., 781, 941
T-tube, postoperative, *1981*: Aug., 943–944
transhepatic percutaneous, *1981*: Feb., 25–28, 101
Cholangiopancreatography, endoscopic retrograde, and pancreatic cancer, *1983*: Dec., 1206
Cholangitis, acute suppurative, *1981*: Aug., 885–892
primary sclerosing, *1981*: Aug., 951–962
differentiation from cholangiocarcinoma, *1981*: Aug., 956–957
sclerosing, radiography of, *1981*: Aug., 846
Cholecystectomy, complications of, *1983*: Dec., **1191–1204**
early postoperative, *1983*: Dec., 1194–1196
Cholecystectomy *(Continued)*
complications of, intraoperative, *1983*: Dec., 1191–1194
fictional case history, use in study of surgical decision-making, *1982*: Aug., 725
in acute cholecystitis, *1981*: Aug., 880–881
in chronic cholecystitis, *1981*: Aug., 882
Cholecystitis, acute, *1981*: Aug., 875–881
^{99m}Tc cholescintigraphy in, *1981*: Aug., 831
acalculous, *1983*: April, 325
chronic, *1981*: Aug., 881–882
Cholecystography, oral, *1981*: Aug., 776–777
in pancreatitis, *1981*: Aug., 929
Cholecystokinin-pancreozymin, *1981*: Feb., 51
Choledochoduodenostomy, *1981*: Aug., 915–917, 919–920
endoscopic, *1982*: Oct., 832
Choledochojejunostomy, Roux-en-Y, *1981*: Aug., 920, 968–970
and treatment of bile duct stricture after cholecystectomy, *1983*: Dec., 1198
Choledocholithiasis. See *Common bile duct, stone*.
Choledochoscopy, *1982*: Oct., **853–859**
fiberoptic, *1982*: Oct., 857–858
in choledocholithiasis, *1981*: Aug., 904–905
intraoperative, in common bile duct exploration, *1981*: Aug., 942–943
per oral, *1982*: Oct., 833
T-tube track, *1982*: Oct., 833
value in detecting stones, *1982*: Oct., 856
Choledochotomy, for choledochoscopy, *1982*: Oct., 855
in choledocholithiasis, *1981*: Aug., 903
Cholelithiasis. See *Gallstones*.
Cholescintigraphy, in acute cholecystitis, *1981*: Aug., 878, 889
^{99m}Tc, *1981*: Aug., **827–842**
Cholesterol, supersaturation of bile and lithogenesis, *1981*: Aug., 765–766, 876, 893–894
Cholesterol gallstones, pathogenesis, *1981*: Aug., **765–774**
Cholylglycine, *1981*: Feb., 204
Choriocarcinoma, *1982*: Dec., 1119
Stage B, chemotherapy for, *1981*: Dec., 1334
Chromaffin tissue tumors. See *Pheochromocytoma*.
Chronic ulcerative colitis, carcinoma in, *1982*: Oct., 907–908
surveillance for, *1982*: Oct., 910–911
Chylothorax, with thoracic duct injury in children, *1981*: Oct., 1188

Chymodenin, *1981*: Feb., 52
Cimetidine, reflux disease and, *1983*: Aug., 843
Circulation, fetal, persistent, diaphragmatic hernia and, *1981*: Oct., 1026
Cirrhosis, carcinoma and, *1981*: Feb., 172
of liver, cholangiography of, *1981*: Aug., 846
Cis-platinum, for nonseminomatous testicular cancer, *1981*: Dec., 1333–1334
Cleansing, of bowel, mechanical, *1983*: Feb., 3–4
antibiotic, *1983*: Feb., 4–5
Clindamycin, for intra-abdominal abscess, *1982*: April, 234
use in patients with hepatic dysfunction, *1982*: April, 335
Clonidine, withdrawal syndrome and operative risk, *1983*: Oct., 1027
Clotting factors, *1981*: Feb., 202
CNS. See *Central nervous system.*
CO_2 production, and respiratory failure, *1983*: April, 352
Coagulopathy, posttransfusion, *1982*: Feb., 13, 40
Coarctation, aortic, *1981*: Oct., 1070
Colectomy, ileorectal anastomosis and, in familial polyposis coli, *1983*: Feb., 123–124
rectal mucosectomy and, *1983*: Feb., 123–124
Colitis, amebic, endoscopic appearance, *1982*: Oct., 909
schistosomal, endoscopic appearance, *1982*: Oct., 909
ulcerative. See *Ulcerative colitis.*
Collagen, antigenicity of, *1981*: April, 356
autoimmunity to, in arthritis, *1981*: April, 360–365
degradation of, in arthritis, *1981*: April, 357–358
Collagen-vascular disease, *1982*: June, 382–383
Collis gastroplasty, and esophagitis, *1983*: Aug., 861–863, 865
Colloid solution, hemorrhagic shock and, *1983*: April, 446–448
in fluid management, *1983*: April, 346–347
Colon. See also *Large bowel.*
anterior resection of, complications, *1983*: Dec., 1226
arteriovenous malformation of, as cause of rectal bleeding, *1982*: Oct., 901
cancer, adjuvant treatment of, *1983*: Feb., 137–150
recurrent, *1983*: Feb., **151–160**
at primary site of resection, *1983*: Feb., 150–151
Colon *(Continued)*
cancer, recurrent, follow-up period, *1983*: Feb., 152
role of carcinoembryonic antigen levels, *1983*: Feb., 152–153
hepatic focus, *1983*: Feb., 155–156
surgical palliation, *1983*: Feb., 155
polyps of, endoscopic removal, *1982*: Oct., **877–887**
rationale for, *1982*: Oct., **861–867**
preparation of, for surgery, *1983*: Dec., 1216–1219
rectum and complications in surgery of the, *1983*: Dec., **1215–1231**
resectable adenocarcinoma of, 5-fluorouracil for, *1981*: Dec., 1316–1317
segmental dilatation of, *1983*: Feb., 211
volvulus of, in geriatric patient, *1982*: April, **249–260**
Colon and rectal surgery, symposium on, *1983*: Feb., **1–217**
Colon conduit for urinary diversion, in children, *1981*: Oct., 1150
Colon interposition, and esophageal cancer, *1983*: Aug., 948
and esophageal stricture, *1983*: Aug., 898
Colon ischemia, abdominal aortic reconstruction, *1983*: Dec., 1285–1286
Colonic inertia, *1983*: Feb., 211–212
Colonoscopy, complications of, *1982*: Oct., **889–896**
for colon volvulus, *1982*: April, 254–255
in inflammatory bowel disease, *1982*: Oct., **905–913**
intubation of ileostomy stoma, *1982*: Oct., 912
premedication for, *1982*: Oct., 870–871
splinting device in, *1982*: Oct., 875–876, 893
technique and training methods, *1982*: Oct., **869–876**
Colostomy, and Hirschsprung's disease, *1983*: Feb., 168–169
complication of, *1983*: Dec., 1225–1226
in acute diverticulitis, *1983*: Feb., 109
Common bile duct, benign stricture of, *1981*: Aug., **963–972**
cancer of, *1981*: Feb., **99–106,** Aug., **981–986**
diversion of, ERCP after, *1981*: Aug., 853–854
intraoperative choledochoscopy, *1981*: Aug., 942–943
injury to, and cholecystectomy, *1983*: Dec., 1192–1193
repair, *1983*: Dec., 1193
stones, *1981*: Aug., **893–907**
cholangiography of, *1981*: Aug., 847
endoscopic management of, *1982*: Oct., **825–836**

Common bile duct *(Continued)*
injury to, primary versus secondary, *1981*: Aug., 895–896
retained, *1981*: Aug., **939–950**
and cholecystectomy, *1983*: Dec., 1195–1196; 1198–1199
stricture of, as complication of cholecystectomy, *1983*: Dec., 1196–1198
surgical exploration of, *1981*: Aug., 899–900, 903–904
Compartment, pathophysiology of, *1983*: June, 540
Compartment pressure, measurement of, *1983*: June, 556
Compartment syndromes, *1983*: June, **539–565**
classification of, *1983*: June, 548
clinical findings in, *1983*: June, 553–555
diagnosis of, *1983*: June, 553–556
etiology of, *1983*: June, 546–553
laboratory findings in, *1983*: June, 556–558
prophylactic fasciotomy for, *1983*: June, 562
treatment of, *1983*: June, 558–563
with fractures in children, *1983*: June, 647
Complications, common procedures and, symposium on, *1983*: Dec., **1155–1371**
Computed tomography. See also *CT*.
in diagnosis of bone tumors, *1983*: June, 680
in orthopedic disorders, *1983*: June, **587–597**
Congenital heart disease, evaluation of pediatric patient with, *1983*: Oct., **1003–1015**
surgery for, *1981*: Oct., **1063–1078**
Congestive heart failure, cardiomyopathy and, *1983*: Oct., 987
preoperative management of patients with, *1983*: Oct., 987–989
in neonates, *1981*: Oct., 1068
in pediatric surgical patients, *1983*: Oct., 1007
nutritional requirements, *1981*: June, 641–644
postoperative, preoperative predictors of, *1983*: Oct., 980–981
valvular heart disease, preoperative management of patients with, *1983*: Oct., 989–990
Constipation, after anorectal operation, *1983*: Dec., 1252
severe, chronic, *1983*: Feb., **193–217**
evaluation, *1983*: Feb., 194–195, 201–208
Hirschsprung's disease and, *1983*: Feb., 195–199
Consumers, preferences and demands of, effect on surgical rates, *1982*: Aug., 635–636
Contraction stress test, *1982*: April, 284
Copper deficiency, with parenteral nutrition in children, *1981*: Oct., 1096
Cornell–New York Hospital second opinion program, *1982*: Aug., 709–710, 712
Coronary air embolization, *1982*: Feb., 12
Coronary artery, left, anomalous origin of, *1981*: Oct., 1066
Coronary artery bypass, combined with noncardiac operations, *1982*: April, **215–224**
Coronary artery bypass graft surgery, influence on cardiac morbidity, in noncardiac surgery patients, *1983*: Oct., 985–987
Coronary artery disease, anesthesia of the surgical patient with, *1983*: Oct., 1042–1043
as preoperative predictor of postoperative myocardial infarction, *1983*: Oct., 978–979
Corticosteroids, for low back pain, *1983*: June, 523
Corynebacterium parvum, for malignant melanoma, *1981*: Dec., 1250, 1259, 1261–1264
with chemotherapy, *1981*: Dec., 1253
Cost-benefit analysis, definition, *1982*: Aug., 737
formula for, *1982*: Aug., 742
steps in, *1982*: Aug., 739–740
use in surgical decision-making, *1982*: Aug., 747
Cost-effective analysis, decision rules in, *1982*: Aug., 742–743
definition, *1982*: Aug., 737–738
use in surgical decision-making, *1982*: Aug., 747
Creatinine excretion, urinary, as estimation of somatic protein mass, *1981*: June, 454, 455
Creatinine-height index, as estimation of somatic protein mass, *1981*: June, 454–455
Credentialing, of physicians, *1982*: Aug., 757
Cricopharyngeal myotomy, *1983*: Aug., 820, 821, 822
technique of, *1983*: Aug., **833–839**
Cricothyroidotomy, *1982*: Feb., 74–75
in emergency room, *1982*: Feb., 10
Critical illness, measurements of therapeutic success in, *1983*: April, 461–465
nutritional care, *1983*: April, **497–507**
symposium on, *1983*: April, **225–507**
Crohn's disease, bypass surgery in, *1983*: Feb., 40–41

Crohn's disease *(Continued)*
diagnosis, *1983*: Feb., 38
fistulae in, *1983*: Feb., 28–32
gastroduodenal, *1983*: Feb., 36–37
in children, *1981*: Oct., 1131–1134
indications and strategy for, *1983*: Feb., **27–48**
loop ileostomy in, *1983*: Feb., 43–44
nutritional therapy of, *1983*: Feb., 21
resection of, *1983*: Feb., 40–43
sepsis in, *1983*: Feb., 28
TPN in, *1981*: June, 702–703
Cross-finger flap, *1981*: April, 254–256
Crossover venous bypass, *1982*: June, 403
Crush injury, severe, renal failure after, *1982*: Feb., 145–146
Crush syndrome, *1983*: June, 550
Cryosurgery, in rectal cancer, *1983*: Feb., 130
Crystalloid solution, in fluid management, *1983*: April, 346–347
CT, for gallbladder disease, *1981*: Aug., 794–795
for graft infection, *1982*: June, 522
for intra-abdominal abscess, *1982*: April, 230–231
in biliary tract disease, versus ultrasound, *1981*: Aug., 787–788
in head injury, *1982*: Feb., 50
in pancreatic disease, *1981*: Feb., 32–37, 101; Aug., 814
in prostatic carcinoma, to detect lymph node metastases, shortcomings of, *1982*: Dec., 1094
in renal carcinoma, *1982*: Dec., 1107
in spinal trauma, *1982*: Feb., 65
of biliary tract, *1981*: Aug., 789
of biliary tree, *1981*: Aug., 801, 806
of liver, *1981*: Aug., 808, 812
of retroperitoneum, *1982*: Dec., **919–939**
Cushing's syndrome, and operative risk, *1983*: Oct., 1022
CVP. See *Blood pressure, central venous.*
Cyanotic heart disease, preoperative evaluation of, *1983*: Oct., 1006
Cyclooxygenase, and thromboxane A_2, *1983*: April, 269
Cyclophosphamide, for nonseminomatous testicular cancer, *1981*: Dec., 1334
Cyst(s), bone, *1983*: June, 665
esophageal, *1983*: Aug., 929–930
Cystectomy, urinary diversion and, for invasive bladder cancer, *1981*: Dec., 1336
Cystic duct, stump, retained, as complication of cholecystectomy, *1983*: Dec., 1199–1200
Cystometrogram, for urinary incontinence, *1982*: April, 263
Cytoxan. See *Cyclophosphamide.*

DACRON sheet prosthesis, in sphincter repair, *1983*: Feb., 191
Day surgery. See *Ambulatory surgery.*
Decision-making, surgical, reliability and reproducibility of, *1982*: Aug., **721–735**
Decompensation, monitoring and, *1983*: Oct., 1065–1066
therapy for, *1983*: Oct., 1065–1066
Delivery, obstetric, as same-day surgery, *1982*: Aug., 699
Deltopectoral flap, for radiation wound, *1982*: April, 315
Depression, in pancreatic cancer, *1981*: Feb., 100
Diabetes mellitus, pancreatic transplantation in, *1981*: Feb., **85–98**
Dialysis, access grafts for, infected, treatment of, *1982*: June, 528
vascular access for, *1982*: June, 538–546
Diaphragm, hernia of, congenital, *1981*: Oct., **1023–1035**
traumatic, in child, *1981*: Oct., 1192
injury to, in children, *1981*: Oct., 1191
rupture of, *1982*: Feb., 102
Diarrhea, post-vagotomy, *1983*: Dec., 1174
Diathermy sphincterotome, in endoscopic sphincterotomy, *1981*: Aug., 857–858
Diazepam, cardiovascular effects of, *1983*: Oct., 1040
Diet, carcinogenesis and, *1981*: June, 691–692
Digit. See also *Finger* or *Toe.*
Digitalis, and AV junctional arrhythmias, *1983*: Oct., 1098
and perioperative management of surgical patient, *1983*: Oct., 1051
Digits, reimplantation of, *1983*: June, 738–740
Digoxin, and cardiac output of critically ill patient, *1983*: April, 476
and perioperative management of surgical patient, *1983*: Oct., 1051
Dilamezinsert, *1982*: Dec., 995
Dilatation, forceful, and esophageal achalasia, *1983*: Aug., 965–966
Diltiazem, therapy for angina pectoris, *1983*: Oct., 1085
Diplopia, *1982*: April, 304
Dipyridamole, *1983*: June, 534–535
Disc, intervertebral, *1983*: June, 516. See *Intervertebral disc.*
Discounting, principle in economic theory, *1982*: Aug., 741–742
Disinfection, of skin, acceptable agents for, *1982*: June, 517
Diuretics, and perioperative management of patient, *1983*: Oct., 1049–1050
use in shock, *1982*: Feb., 27
Diverticulectomy, pharyngoesophageal, with cricopharyngeal myotomy, *1983*: Aug., 818, 819, 821

Diverticulectomy *(Continued)*
pharyngoesophageal, with cricopharyngeal myotomy, effectiveness of, *1983*: Aug., 823
postoperative care, *1983*: Aug., 822
Diverticulitis, acute, surgical procedure of, *1983*: Feb., 102–109
Mikulicz operation, *1983*: Feb., 109
perforative, management of, *1983*: Feb., **97–115**
colostomy, *1983*: Feb., 109
exteriorization, *1983*: Feb., 110
Hartmann operation, *1983*: Feb., 114
laparotomy, *1983*: Feb., 102
passive drains, *1983*: Feb., 111–112
pathology of, *1983*: Feb., 98
peritoneal lavage, *1983*: Feb., 111
prolonged pelvic drainage, *1983*: Feb., 112
resection with anastomosis, *1983*: Feb., 110
resection without anastomosis, *1983*: Feb., 102–109
suction and irrigation, *1983*: Feb., 112
Diverticulum, pharyngoesophageal, *1983*: Aug., **815–824**
rupture of during colonoscopy, *1982*: Oct., 892
Dobbhoff nasoduodenal tube, *1982*: April, 326, 327
Dobutamine, and cardiac output of critically ill patient, *1983*: April, 475–476
Dolichosigmoid, in geriatric patient, *1982*: April, 250–251
Domperidone, sphincter tone and, *1983*: Aug., 845
Dopamine, and cardiac output of critically ill patient, *1983*: April, 475
Doppler stethoscope, in acute scrotal pathology, *1982*: Dec., 959–960
Doppler velocity measurements, *1982*: June, 477–478, 480, 489–491
Dorsalis pedis flaps, *1983*: June, 742
Doxorubicin hydrochloride. See *Adriamycin*.
Droperidol, cardiovascular effects of, *1983*: Oct., 1040
Drug abuse, vascular lesions of, *1982*: June, 383–384
Drugs. See also specific names.
Drug therapy, perioperative management of, *1983*: Oct., 1049–1056
antiarrhythmic drugs, *1983*: Oct., 1052–1053
anticoagulant drugs, *1983*: Oct., 1054–1055
antihypertensive drugs, *1983*: Oct., 1053–1054
cardiac glycosides, *1983*: Oct., 1050–1051
diuretics, *1983*: Oct., 1049–1050
Drug therapy *(Continued)*
perioperative management of, nitrates, *1983*: Oct., 1052
propranolol, *1983*: Oct., 1050–1052
DTIC, for malignant melanoma, *1981*: Dec., 1252–1253, 1264
with BCG, *1981*: Dec., 1254
with Estracyt, *1981*: Dec., 1253
Duhamel procedure, *1983*: Feb., 169–171, 210–211
Dumping, as complication of truncal vagotomy and pyloroplasty, *1983*: Dec., 1173–1174
Duodenum, descending, cancer of, *1981*: Feb., **99–106**
trauma to, *1982*: Feb., 108
Dysphagia, *1983*: Aug., 795
as complication of vagotomy, *1983*: Dec., 1171–1172
as symptom of esophageal spasm, *1983*: Aug., 951–952
esophageal leiomyoma and, *1983*: Aug., 927
oropharyngeal, and oculopharyngeal muscular dystrophy, *1983*: Aug., **825–832**
Dysrhythmias, in surgical patients with cardiac disease, *1983*: Oct., 981–982

Ear, laceration of, *1982*: Feb., 82
Ecchymosis, as complication of saphenous vein stripping, *1983*: Dec., 1308
Echography. See *Ultrasonography*.
Edema, pulmonary. See *Pulmonary edema*.
EDTA, for dissolution of bile duct stones, *1982*: Oct., 830
"Effort" thrombosis, of upper extremity veins, *1982*: June, 387
Eisenmenger's syndrome, preoperative assessment of, *1983*: Oct., 1009–1011
Ejaculation, penile, neurophysiology of, *1982*: Dec., 1078–1079
Elbow, fractures of, *1983*: June, 654–657
restoration of function in , after brachial injury, *1981*: April, 343
total replacement of, *1983*: June, 718–723
Electrocoagulation, endoscopic, for upper gastrointestinal tract bleeding, *1982*: Oct., **797–806**
use in colonoscopic polypectomy, *1982*: Oct., 884–885
Electroexcision, in rectal cancer, *1983*: Feb., 130
Electromyography, *1981*: April, 314
of urogenital diaphragm, *1982*: April, 263
Embolectomy, pulmonary. See *Pulmonary embolectomy*.
Embolism, complicating percutaneous transluminal angioplasty, *1982*: June, 369

Embolism *(Continued)*
pulmonary. See *Pulmonary embolism.*
Embolization, atheromatous, as complication of carotid endarterectomy, *1983*: Dec., 1296–1297
percutaneous transcatheter, of renal adenocarcinoma, *1982*: Dec., 1111–1112
Embolus, to upper extremity arteries, *1982*: June, 376–377
Endarterectomy, carotid, complications of, *1983*: Dec., **1293–1302**
of celiac artery, *1982*: June, 349
of superior mesenteric artery, *1982*: June, 349
stroke following, *1982*: June, 470–472
Enders nail, *1983*: June, 622
Endocrine glands. See specific glands.
Endometriosis, of sigmoid colon, *1982*: Oct., 902
Endoscopic papillotomy, *1982*: Aug., 947–948
Endoscopic retrograde cannulation of the pancreas, *1981*: Aug., 930–931
Endoscopic retrograde cholangiopancreatography. See *ERCP.*
Endoscopic sphincterotomy, *1981*: Aug., 854–863
Endoscopy. See also *Esophagoscopy.* *1983*: Aug., **801–813**
extraction of common bile duct stones, *1981*: Aug., 946–947
gastrointestinal, for infected graft, *1982*: June, 523
of small bowel, *1982*: Oct., **821–824**
surgical, of gastrointestinal tract, symposium on, *1982*: Oct **797–916**
therapeutic, of esophagus, *1982*: Oct., **807–820**
Endotracheal intubation, *1983*: April, 420
in pediatric anesthesia, *1981*: Oct., 1001
Energy requirements, formula for, *1981*: June, 576
in congestive heart failure, *1981*: June, 641–642
Energy stores, *1981*: June, 509–511
Enflurane, cardiovascular effects of, *1983*: Oct., 1038
in trauma, *1982*: Feb., 35
Enteral hyperalimentation, in renal failure, *1981*: June, 668–669
Enteral nutrition, *1981*: June, **605–620**; *1982*: April, 325–326
in congestive heart failure, *1981*: June, 644–648
in pancreatitis, *1981*: June, 704
liquid diets for, *1981*: June, 608–610
monitoring of patients, *1981*: June, 615–616
Enterocolitis, and Hirschsprung's disease, *1983*: Feb., 164–165
Enterocolitis *(Continued)*
necrotizing, in neonates, *1981*: Oct., **1013–1022**
Enterocutaneous fistulae, in Crohn's disease, *1983*: Feb., 28–29
Enteroenteric fistula, in Crohn's disease, *1983*: Feb., 29
Enterogenital fistula, in Crohn's disease, *1983*: Feb., 32
Enterolithotomy, for gallstone ileus, *1982*: April, 244
Enterovesical fistula, in Crohn's disease, *1983*: Feb., 31–32
Entitlement, effect of on demand for surgery, *1982*: Aug., 593–594
Enzymes, pancreatic, *1981*: Feb., 49
serum, in assessment of liver function, *1981*: Feb., 200–202
Epididymitis, *1982*: Dec., 962–965
Epiphysis, injuries to, *1983*: June, 635–637
ERCP, *1981*: Feb., 23–25, 101; Aug., 843–854; *1982*: Oct., **837–844**
after common duct diversion, *1981*: Aug., 853–854
in acute sclerosing cholangitis, *1981*: Aug., 955
in choledocholithiasis, *1981*: Aug., 898–899
of pancreas, *1981*: Feb., 23, 101
Erection, penile, neurophysiology of, *1982*: Dec., 1077
Erythromycin, use in patients with hepatic dysfunction, *1982*: April, 335
Esophageal achalasia, treatment of, *1983*: Aug., **963–970**
Esophageal cancer, *1983*: Aug., **933–940**
palliative procedures for, *1983*: Aug., **941–950**
transhiatal esophagectomy, *1983*: Aug., 943–947
Esophageal cysts, *1983*: Aug., 929–930
Esophageal myotomy, gastroesophageal reflux and, *1983*: Aug., **877–884**
types, *1983*: Aug., 877–878
Esophageal pain, *1983*: Aug., 794–795
Esophageal polyps, *1983*: Aug., 930
Esophageal spasm, diffuse, *1983*: Aug., **951–962**
endoscopy of, *1983*: Aug., 956
manometric study of, *1983*: Aug., 953, 955–956
radiologic study of, *1983*: Aug., 952–953
treatment of, *1983*: Aug., 957–961
Esophageal sphincter, manometric measurement of, *1983*: Aug., 779
Esophageal stricture, benign, management of, *1983*: Aug., **885–903**
esophagoscopy of, *1983*: Aug., 809
Esophageal surgery, symposium on, *1983*: Aug., **775–970**

Esophageal transection, control of bleeding varices and, *1983*: Aug., 909–911
Esophageal varices, esophagoscopy of, *1983*: Aug., 809
Esophagectomy, transhiatal, and esophageal cancer, *1983*: Aug., 943–947
Esophagitis, reflux. See also *Gastroesophageal reflux*.
esophagoscopy and, *1983*: Aug., 805–807
grades of, *1983*: Aug., 806–807
mucosal resistance and, *1983*: Aug., 842
Esophagogastrectomy, and esophagitis, *1983*: Aug., 853, 855
Esophagomyotomy, and esophageal achalasia, *1983*: Aug., 966–968
Esophagoscopy, achalasia and, *1983*: Aug., 807
contraindications, *1983*: Aug., 804
diagnostic and therapeutic, *1983*: Aug., **801–813**
esophagitis and, *1983*: Aug., 805–807
indications, *1983*: Aug., 802–803
Esophagus, atresia of, *1981*: Oct., **1051–1061**
benign tumors and cysts of, *1983*: Aug., **925–931**
carcinoma, *1983*: Aug., 933–940
endoprosthesis for, *1982*: Oct., 807–812
chemical burns of, *1983*: Aug., **915–924**
causes, *1983*: Aug., 915–916
pathology, *1983*: Aug., 916
radiologic appearances of, *1983*: Aug., 919–920
symptoms, *1983*: Aug., 917–919
treatment of, *1983*: Aug., 921–923
cysts of, 1983: Aug., 929–930
defense mechanisms of, *1983*: Aug., **787–799**
consequences of failure, *1983*: Aug., 791–794
diffuse spasm of, 1983: Aug., 951–962
myotomy of, gastroesophageal reflux and, *1983*: Aug., 877–884
pain in, 1983: Aug., 794–795
polyps of, *1983*: Aug., 930
stricture of, management, *1983*: Aug., 885–903
in infants and children, *1981*: Oct., 1110
thoracic, carcinoma of, *1983*: Aug., **933–940**
trauma to, in children, *1981*: Oct., 1190
varices of, bleeding, *1981*: Feb., **209–219**
endoscopic injection sclerosis for, *1982*: Oct., 812–818
esophagoscopy of, *1983*: Aug., 809
Estracyt, for malignant melanoma, with DTIC, *1981*: Dec., 1253
Estrogen, vaginal creams with, for urinary incontinence in women, *1982*: April, 268
Examination, of trauma patient, initial, *1982*: Feb., 9
neurologic, *1982*: Feb., 14
Exercise, compartment syndrome after, *1983*: June, 550
External fixation, advantages of, *1983*: June, 608–609
indications for, *1983*: June, 611–613
of compound fractures, *1983*: June, 607–615
Extremity, lower, amputations of, *1983*: June, 755–763
upper, amputations of, *1983*: June, 764–770
Eye, globe of, trauma to, anesthetic considerations in, *1982*: Feb., 42
injuries to, in severely injured patient, *1982*: April, **301–308**
Eyelids, wounds of, *1982*: Feb., 82

FACE, gunshot wound of, *1982*: Feb., 94–95
soft tissue injury of, *1982*: Feb., 78–82
Factor XI, *1983*: April, 227–229
Fallot, tetralogy of, correction of, *1981*: Oct., 1066
False aneurysmorrhaphy, *1982*: June, 437–438
Familial polyposis coli, *1983*: Feb., **117–128**
extracolonic manifestations, *1983*: Feb., 118–119
follow-up of patients, *1983*: Feb., 126
prophylactic colectomy, *1983*: Feb., 123–124
adenomas, *1983*: Feb., 118
cutaneous lesions, *1983*: Feb., 118
desmoid tumors, *1983*: Feb., 119
Fasciotomy, pressure threshold for, *1983*: June, 557
prophylactic, *1983*: June, 562
Fat emulsion, in intravenous nutrition, *1981*: June, 515
Fat requirements, in congestive heart failure, *1981*: June, 643
Fatty acid deficiency, with parenteral nutrition in children, *1981*: Oct., 1097
Federal legislation, and future of surgical practice, *1982*: Aug., **771–779**
Femur, fractures of, *1983*: June, *652*, 660–661
closed transverse, *1983*: June, 619–623
growth plate injury with, *1983*: June, 642
in children, *1983*: June, 634
metaphyseal fibrosarcoma of, *1983*: June, 674
Fentanyl, cardiovascular effects of, *1983*: Oct., 1039
Fetus, surgery of, *1981*: Oct., 1033
Fever, postsplenectomy, unexplained, *1983*: Dec., 1320–1321

Fibrin, and acute "idiopathic" respiratory failure, *1983*: April, 286
Fibrinogen scan, in deep venous thrombosis, *1983*: June, 532
Fibrinolytic activity, and PGI_2 synthesis, *1983*: April, 270, 271
Fibronectin, transfusion of, *1983*: April, 489–490
Fibrosarcoma, metaphyseal, *1983*: June, 674
Fine needle biopsy. See *Biopsy, fine needle.*
Finger. See also *Phalanx(ges).*
  congenital aplasia of, reconstruction, *1981*: April, **407–424**
  replantation of, *1981*: April, **383–394**; *1983*: June 738–740
Finger joints, replacement of, *1983*: June, 726–731
Fingernail, anatomy, *1981*: April, 239
  wounds of, *1981*: April, 247
Fingertip, amputation of, *1981*: April, 249–254
  injuries of, *1981*: April, **237–266**
  skin of, *1981*: April, 238
Fisher frame, *1983*: June, *609*
Fistula. See also specific types of fistulae.
  aortoenteric, complication after aortic prosthetic reconstruction, *1983*: Dec., 1282–1284
    symptoms of, *1983*: Dec., 1283
  Crohn's disease and, *1983*: Feb., 28–32
  gastrointestinal. See also *Gastrointestinal fistula.*
  intestinal, intravenous hyperalimentation, *1983*: Feb., 22
  rectovaginal, *1983*: Feb., **61–79**
Flag flap, for finger, *1981*: April, 254
Flail chest, *1980*: Aug., 962–964; *1982*: Feb., 100
Flap. See also specific type.
  for forearm coverage, *1981*: April, 294
  free, *1983*: June, 742–744
Flexi-Rod prosthesis, *1982*: Dec., 991, 992
Flexor tendon, of hand, injuries of, *1981*: April, 267–286
  repair techniques, *1981*: April, 276–279
Fluids, electrolytes and, intraoperative, in children, *1981*: Oct., 1002
  replacement of, *1983*: April, **439–454**
    cardiopulmonary indications of therapeutic success, *1983*: April, 444–446
    colloid vs. crystalloid therapy, *1983*: April, 446–448
    hypovolemic shock, *1983*: April, 440–443
    inotropic agents and, *1983*: April, 451
    in sepsis, *1983*: April, 449
    steroid infusion, *1983*: April, 448–449
Fluid resuscitation, *1982*: Feb., 33
  intraoperative, *1982*: Feb., 37
5-Fluorodeoxyuridine, for large bowel cancer, *1981*: Dec., 1315
5-Fluorouracil. See *5-FU.*
FMLP, neutrophil response to, *1983*: April, 233, 234, 235
Folacin, *1981*: June, 504–505
Folic acid, *1981*: June, 504–505
Foot, amputations through, *1983*: June, 755–758
Forearm, anatomy of, *1983*: June, 540–542
  compartments of, *1983*: June, 543
  compartment syndrome of, decompression for, *1983*: June, 558–559
  fractures of, *1983*: June, 657
Fracture(s), bone scanning in, *1983*: June, 571–575
  buckle, *1983*: June, 630
  compartment syndromes after, *1983*: June, 552
    treatment of, *1983*: June, 561–562
  compound, external fixation of, *1983*: June, 607–615
  epiphyseal, *1983*: June, 635–637
  external fixation of, advantages of, *1983*: June, 608–609
  in children, *1983*: June, 653
  facial, airway maintenance in, *1982*: Feb., 32
    radiography of, *1982*: Feb., 77
  greenstick, *1983*: June, 630, 662
  in children, *1983*: June, **629–670**
    treatment of, *1983*: June, 646–669
  intermedullary nailing of, *1983*: June, 615–622
  location of, bone remodeling in children and, *1983*: June, 631
  management of, new techniques in, *1983*: June, **607–628**
  mandibular, *1982*: Feb., 84, 86–87, 89
  maxillary, *1982*: Feb., 89–90
  nasal, *1982*: Feb., 92
  nasoethmoid, *1982*: Feb., 92–94
  of distal phalanx, *1981*: April, 257
  of frontal sinus, *1982*: Feb., 94
  of growth plate, *1983*: June, 638–646
  of rib, as cause of ventilatory impairment, *1982*: Feb., 98
  of skull, basilar, *1982*: Feb., 48
    compound depressed, *1982*: Feb., 55–56
  of zygoma and orbit, *1982*: Feb., 90–92
  osteochondral, *1983*: June, 635
  pathologic, bone scanning in, *1983*: June, 580–582
  Salter-Harris classification of, *1983*: June, 639
  soft tissue injuries with, *1983*: June, 646–648
  spontaneous, *1983*: June, 665
  stress, diagnosis of, *1983*: June, 574

Fracture(s) *(Continued)*
stress, in children, *1983*: June, 666
traumatic, *1982*: Feb., 14–15
Free flaps, *1983*: June, 742–744
Free pedicle flap, for radiation wound, *1982*: April, 316–317
Frontal sinus, fracture of, *1982*: Feb., 94
Frostberg sign, *1981*: Feb., 20
5-FU, for large bowel carcinoma, *1981*: Dec., 1297–1299, 1315–1317
effectiveness, *1981*: Dec., 1321–1329
methyl-CCNU and, for rectal carcinoma, *1981*: Dec., 1318–1319
studies of effectiveness and, *1981*: Dec., 1328
plus MER, *1981*: Dec., 1319
prolonged intermittent therapy with, *1981*: Dec., 1317–1318
toxicity of, *1981*: Dec., 1323
Fulminant hepatic failure, *1981*: Feb., 225
Fundoplication, Nissen, complications of, *1983*: Dec., **1155–1165**
faulty performance and, *1983*: Dec., 1157–1158, 1160–1162
reoperation for, *1983*: Dec., 1162–1164
selection of patients and, *1983*: Dec., 1156–1157
wrap and, *1983*: Dec., 1160–1162

GALLAMINE, cardiovascular effects of, *1983*: Oct., 1041
Gallbladder complications, in TPN, *1981*: June, 676
Gallbladder disease, ultrasound and CT for, *1981*: Aug., 794–795
Gallium scanning, for intra-abdominal abscess, *1982*: April, 231–232
Gallstones, as complication of vagotomy, *1983*: Dec., 1175
cholesterol, pathogenesis, *1981*: Aug., **765–774**
endoscopic removal, *1981*: Aug., 857–858
medical treatment of, *1981*: Aug., **865–874**
percutaneous extraction, *1981*: Aug., 783
Gallstone ileus, *1982*: April, **241–247**
Gallstone pancreatitis, *1981*: Aug., **923–938**
Gamma glutamyl transpeptidase, serum, *1981*: Feb., 201
Ganglioneuroblastoma, *1981*: Oct., 1228
Ganglioneuroma, *1981*: Oct., 1228
Gardner's syndrome, and familial polyposis coli, *1983*: Feb., 118, 119, 120
Gastrectomy, nutritional problems after, *1981*: June, 726–727
Gastrostomy feeding, *1982*: April, 326
Gastroesophageal reflux, after repair of esophageal atresia, *1981*: Oct., 1058
Gastroesophageal reflux *(Continued)*
defenses against, *1983*: Aug., 787–790
in infants and children, *1981*: Oct., **1101–1115**
medical management of, *1983*: Aug., **841–850**
Gastrointestinal disease, nutritional support in, *1981*: June, **701–708**
Gastrointestinal fistula, after trauma, *1981*: June, 676
nutritional support in, *1981*: June, 706–707
Gastrointestinal tract, barium studies of, *1981*: Feb., 19–22
hemorrhage, pancreatitis and, *1981*: Feb., 76
upper, bleeding in, electrocoagulation for, *1982*: Oct., **797–806**
Gastropexy, Boerema anterior, *1981*: Oct., 1109
Gastroplasty, partial fundoplication, and esophageal stricture, *1983*: Aug., 899–900
total fundoplication, and esophageal stricture, *1983*: Aug., 900–901
Gastroschisis, *1981*: Oct., **1037–1049**
Gender identity, in child, *1982*: Dec., 945
Genital surgery, elective, at one year of age, *1982*: Dec., **941–953**
in boys, emotional consequences of, *1982*: Dec., 942–943
Genitourinary tract, cancer of, adjuvant therapy for, *1981*: Dec., **1331–1346**
Gentamicin, for intra-abdominal abscess, *1982*: April, 234
Geriatric patient, acquired megacolon in, *1982*: April, 250
back ailments in, *1982*: April, **291–295**
colon volvulus in, *1982*: April, **249–260**
dolichosigmoid in, *1982*: April, 250–251
orthopedic, morbidity and mortality, *1982*: April, 297–300
urinary incontinence in, *1982*: April, **261–274**
Germ cell tumor. See *Tumor, germ cell* and *Tumor, testicular*.
Gerota's fascia, *1982*: Dec., 1049–1050
Giordano-Giovanetti diet, *1982*: April, 329
Glasgow coma scale, *1982*: Feb., 49; *1983*: April, 403, 405
Glomerular filtration rate, *1981*: June, 663
Glossopharyngeal nerve, injury after carotid endarterectomy, *1983*: Dec., 1296
Glucagon, *1981*: Feb., 52
Gore-Tex (polytetrafluorethylene), as vascular graft, *1982*: June, 504–505, 546
Gracilis muscle, transposition, in sphincter repair, *1983*: Feb., 186–191
Graduate Medical Education National Advisory Committee (GMENAC), *1982*: Aug., 777

Grafts. See also *Prosthesis*.
aortofemoral, infected, *1982*: June, 520
aortoiliac, infected, *1982*: June, 520
treatment of, *1982*: June, 527–528
aortoiliofemoral, infected, treatment of, *1982*: June, 528
axillofemoral, infected, treatment of, *1982*: June, 528
bone, *1983*: June, 623–627
vascularized, *1983*: June, 744–746
brachial-radial-ulnar, infected, treatment of, *1982*: June, 527
carotid artery, infected, treatment of, *1982*: June, 527
crossover saphenous vein, *1982*: June, 392, 394
femoral, infection of, diagnosis, *1982*: June, 520–522
femoropopliteal, infected, treatment of, *1982*: June, 528
innominate-subclavian-axillary, infected, treatment of, *1982*: June, 527
prosthetic, materials for, advantages and disadvantages, *1982*: June, 511
sepsis of, complication after aneurysmectomy, *1983*: Dec., 1279–1283
synthetic vascular, infection of, CT detection, *1982*: Dec., 927
umbilical vein, *1982*: June, 504–505, 546
vascular, current status, *1982*: June, **501–513**
Granular cell myoblastoma, esophageal, *1983*: Aug., 930
Great vessels, trauma to, *1982*: Feb., 102
Greenfield vena caval filter, *1982*: June, 415–420
Greenstick fracture, *1983*: June, 630, 662
Groin flaps, *1983*: June, 742
Groin flap, for radiation wound, *1982*: April, 315
Groin hernia repair, complications of, *1983*: Dec., **1363–1371**
Gross national product (GNP), per cent spent on health care, *1982*: Aug., 634–635
Group practice, prepaid, definition of, *1982*: Aug., 678
Group practice network, definition of, *1982*: Aug., 678
Growth plate, anatomy of, *1983*: June, 637–638
fractures of, *1983*: June, 638–646
injuries to, classification of, *1983*: June, 639
Gruntzig balloon, *1982*: June, 357–358
Growth retardation, inflammatory bowel disease with, TPN in, *1981*: June, 703
Guaiacol, sphincter tone and, *1983*: Aug., 845
Gunshot wound, abdominal, *1982*: Feb., 107
of face, *1982*: Feb., 94
of kidney, *1982*: Dec., 1051

HAGEMAN factor, *1983*: April, 227–229
Halogenated hydrocarbons, blood banking and, *1983*: April, **485–487**
Halothane, cardiovascular effects of, *1983*: Oct., 1037–1038
in trauma, *1982*: Feb., 35
Hamilton-Russell traction, *1983*: June, 652
Hand, flexor tendon of, injuries, *1981*: April, **267–286**
hemiplegic spastic, in cerebral palsy, surgery for, *1981*: April, **395–406**
implant arthroplasty in, *1981*: April, **369–382**
nerves of, coaptation, *1981*: April, 325–327, 330
repair, *1981*: April, **321–340**
primary versus secondary, *1981*: April, 322–324
nerve grafts in, *1981*: April, 331–332
neurolysis in, *1981*: April, 336
paratenon of, *1981*: April, 269
practical surgery of, symposium on, *1981*: April, **237–426**
replantation of digits of, *1983*: June, 738–740
tendons of, anatomic nomenclature, *1981*: April, 267–268
Hamartoma, *1982*: Oct., 862
Harris-Benedict formula, *1981*: June, 552, 641
Hartmann resection, extended, in rectal cancer, *1983*: Feb., 131
Head, injury to, *1982*: Feb., **47–60**
anesthesia in, *1982*: Feb., 42
intubation in, *1982*: Feb., 32–33
Headache, as complication of carotid endarterectomy, *1983*: Dec., 1301
Health care, per cent of GNP spent on, *1982*: Aug., 634–635
surgical, delivery of, symposium on, *1982*: Aug., **537–794**
Health maintenance organization (HMO), definition of, *1982*: Aug., 677
patient satisfaction in, *1982*: Aug., 681
quality of surgical care in, *1982*: Aug., 679–680
Health Planning Act of 1974, priorities of, *1982*: Aug., 773–775
Heart. See also *Cardiac*.
function of, impairment in deep shock, *1982*: Feb., 22
surgery, in neonates, *1981*: Oct., **1063–1078**
Heart failure, congestive, in neonates, *1981*: Oct., 1068

Heart failure *(Continued)*
congestive, diagnosis of, *1980*: Dec., 1566–1567
during ventilatory therapy, management of, *1980*: Dec., 1368–1369
therapy for, *1980*: Dec., 1568
Heinz body hemolytic anemias, *1981*: Feb., 118
Hemangioendothelioma, hepatic, in children, *1981*: Oct., 1216
Hemangioma, hepatic, cavernous, *1981*: Feb., 182–184
in children, *1981*: Oct., 1216
Hematologic disease, splenectomy for, *1981*: Feb., **117–125**
Hematoma, intracranial, *1982*: Feb., 55
Hemipelvectomy, *1983*: June, 763
Hemobilia, *1981*: Aug., **973–979**
Hemoglobin, stroma-free, in blood banking, *1983*: April, 487–488
Hemoglobinopathy, splenectomy for, *1981*: Feb., 119
Hemolytic anemia, autoimmune, *1981*: Feb., 118
Heinz body, *1981*: Feb., 118
Hemorrhage, after colonoscopic polypectomy, *1982*: Oct., 894
after splenectomy, *1983*: Dec., 1316
as complication of mastectomy, *1983*: Dec., 1333
as complication of thyroidectomy, *1983*: Dec., 1354–1355
colon surgery and, *1983*: Dec., 1219–1220
complication after aneurysmectomy, *1983*: Dec., 1273–1274
esophageal variceal, endoscopic injection sclerosis for, *1982*: Oct., 812–818
gastrointestinal, with pancreatitis, *1981*: Feb., 76
hemorrhoidectomies and, *1983*: Dec., 1250–1252
hernia repair and, *1983*: Dec., 1365
in Crohn's disease, *1983*: Feb., 33–34
in liver disorders, *1981*: Aug., **973–979**
nasal, *1982*: Feb., 75–76
occult, *1982*: Feb., 15
trauma and, *1983*: April, 305–314
gastroduodenal artery, *1983*: April, 311
retroperitoneal, *1983*: April, 312
safe hematocrit level, *1983*: April, 308–311
splenic, *1983*: April, 311–312
Hemorrhagic shock, compared with septic shock, *1983*: April, 306–307
replacement of fluids, *1983*: April, 440–443
Hemothorax, in infants and children, *1981*: Oct., 1188
Henoch-Schönlein purpura, *1982*: Dec., 967
Heparin, for deep venous thrombosis, *1983*: June, 534–535
Hepatic. See also *Liver*.
Hepatic abscess, as complication of appendicitis, *1983*: Dec., 1240–1241
Hepatic dysfunction, use of antimicrobial agents in, *1982*: April, **333–340**
Hepatic encephalopathy, *1981*: June, 654–655
Hepatic-enteric anastomosis, in bile duct carcinoma, *1981*: Aug., 984
nutritional support, *1981*: June, 658–659
Hepatic failure. See *Liver, failure*.
Hepatitis, viral, neonatal, versus biliary atresia, *1981*: Aug., 988–991
Hepatitis B virus, carcinoma and, *1981*: Feb., 171
Hepatocellular dysfunction, *1981*: Feb., 221
Hepatocytic adenomas, *1981*: Feb., 185
Hereditary spherocytosis, splenectomy for, *1981*: Feb., 117
Hernia, diaphragmatic, congenital, *1981*: Oct., **1023–1035**
traumatic, in children, *1981*: Oct., 1192
groin, repair of, complications, *1983*: Dec., **1363–1371**
late, *1983*: Dec., 1369–1370
local, *1983*: Dec., 1368–1369
severance of nerves, *1983*: Dec., 1365–1366
severance of testicular blood supply, *1983*: Dec., 1366
visceral injury, *1983*: Dec., 1366–1367
inguinal, in infants and children, *1981*: Oct., 1137–1140
preoperative complications of, *1983*: Dec., 1363–1364
repair, and stricture, *1983*: Aug., 896–897
right inguinal, and appendectomy, *1983*: Dec., 1245
Herniated disc. See *Intervertebral disc, herniated*.
Herniation, transtentorial, *1982*: Feb., 51, 53
Hiatal hernia, reflux and, *1983*: Aug., 845
repair, and esophageal spasm, *1983*: Aug., 959–960
Hickman catheter, in total parenteral nutrition, *1982*: June, 532, 535–537
placement of, *1981*: June, 623
High pressure zone, development of reflux and, *1983*: Aug., 879
tone of, in scleroderma reflux esophagitis, *1983*: Aug., 859
Hill hernia repair, and peptic strictures, *1983*: Aug., 897
Hip, disarticulation of, *1983*: June, 763
fractures, in children, *1983*: June, 659

Hip (*Continued*)
total replacement of, *1983*: June, 701–706
pulmonary embolism after, *1983*: June, 529–532
trauma to, computed tomography in, *1983*: June, 588–589
Hirschsprung's disease, *1983*: Feb., **161–175**, 209–211
abdominoanal pull-through technique, *1983*: Feb., 169–173
Soave procedure, *1983*: Feb., 171
stapling modifications, *1983*: Feb., 169–171
adult, *1983*: Feb., 173
causes, *1983*: Feb., 162
clinical features, *1983*: Feb., 163–164
colostomy in, *1983*: Feb., 168–169
constipation and, *1983*: Feb., 195–199
diagnosis, *1983*: Feb., 165–166
rectal biopsy in, *1983*: Feb., 166–167
enterocolitis, *1983*: Feb., 164–165
short segment, *1983*: Feb., 173, 209–210
surgery of, *1983*: Feb., **161–175**
Histiosarcoma, malignant fibrous, *1983*: June, 673
HMO. See *Health maintenance organization*.
HMW kininogen, *1983*: April, 227–229
Hodgkin's disease, staging of, *1980*: April, 370–371; *1981*: Feb., 121
Hoffmann device, *1983*: June, 608
Home parenteral nutrition, *1981*: June, **621–633**
Hormones. See also specific hormone.
effects on pancreatic secretion, *1981*: Feb., 50–52
in metabolic adjustments of sepsis, *1981*: June, 683–684
Hospitals, categorization of for trauma care, *1982*: Feb., 3–4
Host defense. See also *Immune response*.
HPZ. See *High pressure zone*.
Human chorionic gonadotropin, as marker for cancer, *1981*: Dec., 1332
in testicular tumors, *1982*: Dec., 1120–1121
Humerus, fractures of, *1983*: June, 664
condylar, *1983*: June, 644, 656
supracondylar, *1983*: June, 632, 654–655
Hydrocele, in infants and children, *1981*: Oct., 1140–1142
repair of groin hernia and, *1983*: Dec., 1369–1370
Hydrocephalus, communicating, after head injury, *1982*: Feb., 59
5-HT. See *5-hydroxytryptamine*.
5-Hydroxytryptamine, and platelet release, *1983*: April, 264, 275–278
Hyperaldosteronism, primary, and operative risk, *1983*: Oct., 1022
Hyperalimentation. See also *Enteral nutrition; Intravenous hyperalimentation; Nutrition, total parenteral;* and *Parenteral nutrition*.
intravenous. See *Intravenous hyperalimentation*.
parenteral, in infants and children, *1981*: Oct., 1093–1094
Hyperammonemia, during TPN, *1980*: Oct., 1246
Hypercarbia, evaluation of causes, *1983*: April, 431–432
Hypercoagulation, of proximal deep veins, *1982*: June, 387
Hyperparathyroidism, after thyroidectomy, *1983*: Dec., 1358–1359
symptomatic, *1982*: April, **225–228**
Hypersplenism, with malignant hemopathies, *1981*: Feb., 120
Hypertension, after carotid endarterectomy and stroke, *1983*: Dec., 1300
choice of anesthesia and operative risk, *1983*: Oct., 1028–1030
Cushing's syndrome, and operative risk, *1983*: Oct., 1022
essential, and operative risk, *1983*: Oct., 1023–1024
immediate postoperative period, drug therapy in, *1983*: Oct., 1064
in surgical patient, *1983*: Oct., **1017–1033**
as preoperative risk factor *1983*: Oct., 1018–1019
delay of elective surgery and, *1983*: Oct., 1019–1024
pheochromocytoma and, *1983*: Oct., 1020–1022
intracranial, *1982*: Feb., 56–58
postoperative crisis, patients at most risk, *1983*: Oct., 1030–1031
primary hyperaldosteronism, and operative risk, *1983*: Oct., 1022
pulmonary artery, congenital diaphragmatic hernia and, *1981*: Oct., 1031
relationship with perioperative cardiac morbidity, *1983*: Oct., 1116–1117
renal, as result of renal trauma, *1982*: Dec., 1060
renovascular, and risk of elective surgery, *1983*: Oct., 1020
withdrawal of β-blocker therapy and operative risk, *1983*: Oct., 1025–1027
withdrawal of clonidine therapy and operative risk, *1983*: Oct., 1027
Hyperthermia, malignant, in pediatric surgery, *1981*: Oct., 1007
Hypoesthesia, after saphenous vein stripping, *1983*: Dec., 1309

Hypoglossal nerve, injury after carotid endarterectomy, *1983*: Dec., 1294
Hypomagnesemia, with parenteral nutrition in children, *1981*: Oct., 1096
Hypospadias, repair of, in infants, *1982*: Dec., 949–950
Hypotension, after carotid endarterectomy, and stroke, *1983*: Dec., 1299
Hypothenar hammer syndrome, *1982*: June, 383
Hypothermia, in trauma patient, *1982*: Feb., 39–40
  posttransfusion, *1982*: Feb., 13
Hypovolemia, replacement of fluid, *1983*: April, 440–443
  approaches, *1983*: April, 441–443
Hypovolemic shock, albumin therapy, *1983*: April, 446–448
Hypoxemia, mechanisms of, *1983*: April, 428–429
  oxygenation, *1983*: April, 430
Hysterectomy, fictional case history, use in study of surgical decision-making, *1982*: Aug., 725–726

ICTERUS. See *Jaundice*.
Idiopathic thrombocytopenic purpura, *1981*: Feb., 119
^{125}I fibrinogen scanning, of leg, *1982*: June, 492
IgG, parenteral, infusion of, *1983*: April, 490–491
Ileal conduit, in infants and children, *1981*: Oct., 1148
Ileitis, acute, *1983*: Feb., 34–35
  chronic. See *Chrohn's disease*.
Ileoanal pull-through, with rectal mucosal strip, *1983*: Feb., 124–125
Ileocecal conduit, antirefluxing, *1982*: Dec., **999–1006**
  in children, *1981*: Oct., 1152
Ileocecal valve, entrance into by colonoscope, *1982*: Oct., 875
Ileocoloduodenal fistula, in Crohn's disease, *1983*: Feb., 29–30
Ileogastric fistula, in Crohn's disease, *1983*: Feb., 31
Ileosigmoid fistula, in Crohn's disease, *1983*: Feb., 30–31
Ileostomy, continent, in ulcerative colitis, *1983*: Feb., 49–52
    valve extrusion, *1983*: Feb., 50–51
  loop, and Crohn's disease, *1983*: Feb., 43–44
  reservoir, for ulcerative colitis, *1983*: Feb., 49–52
Ileostomy stoma, intubation of with colonoscope, *1982*: Oct., 912
Ileum, construction of ureter from, *1982*: Dec., 1016
Ileus, intestinal, colon surgery and, *1983*: Dec., 1221
Immune response, nutrition and, *1980*: Feb., 114–115; *1981*: June, **537–570**
Immunocompetence, measurement testing of, in nutritional assessment, *1981*: June, 459–460
Immunoglobulins, in malnutrition, *1981*: June, 563–564
Immunologic testing, in nutritional assessment, *1981*: June, 459–460
Immunotherapy, for colonic and rectal carcinoma, *1981*: Dec., 1306–1307
  for malignant melanoma, *1981*: Dec., 1249–1252
  combined with chemotherapy, *1981*: Dec., 1253–1254
  for renal carcinoma, *1982*: Dec., 1112–1113
  specific, for malignant melanoma, *1981*: Dec., 1252
Impotence, surgery for, *1982*: Dec., **981–998**
IMV. See *Intermittent mandatory ventilation (IMV)*.
Incontinence, after anorectal operation, *1983*: Dec., 1254–1255
  urinary, in geriatric patient, *1982*: April, **261–274**
  urinary stress, *1980*: April, **425–435**; *1982*: Dec., **1035–1045**
Independent practice association, definition of, *1982*: Aug., 678
Indium-III leukocyte scanning, for intra-abdominal abscess, *1982*: April, 232
Indocyanine green, *1981*: Feb., 198
Infants. See also *Children*.
  abdominal wall defects in, *1981*: Oct., **1037–1049**
  appendicitis in, *1981*: Oct., 1122
  biliary atresia in, *1981*: Oct., **1079–1088**
  cardiac surgery in, *1981*: Oct., **1063–1078**
  chest wall deformities in, *1981*: Oct., **1199–1207**
  diaphragmatic hernia in, *1981*: Oct., **1023–1035**
  esophageal atresia and tracheoesophageal fistula in, *1981*: Oct., **1051–1061**
  gastroesophageal reflux in, *1981*: Oct., **1101–1115**
  inguinal hernia and hydrocele, in, *1981*: Oct., **1137–1145**
  jaundice in, *1981*: Oct., 1080
  liver tumors in, *1981*: Oct., **1209–1217**
  male, genital surgery in, timing of, *1982*: Dec., **941–953**
  necrotizing enterocolitis in, *1981*: Oct., **1013–1022**

Infants *(Continued)*
newborn, anesthesia in, *1981*: Oct., **997–1012**
biliary obstruction in, *1981*: Aug., 987–992
fractures in, *1983*: June, 663–665
parenteral nutrition in, *1981*: Oct., **1089–1100**
inguinal hernia in, *1981*: Oct., 1144
surgery in, See also specific disorders.
cardiovascular physiology and, *1981*: Oct., 1003
respiratory physiology and, *1981*: Oct., 1003
thermoregulation in, *1981*: Oct., 1003
thoracic trauma in, *1981*: Oct., 1191
Infection, after musculoskeletal trauma, *1983*: June, 579
of vascular prostheses, *1982*: June, **515–530**
postsplenectomy, *1981*: Feb., **135–155**
surgical. See also organ or region involved.
with central parenteral nutrition, *1981*: Oct., 1098
Inflammatory bowel disease. See also specific disease.
colonoscopic diagnosis of, *1982*: Oct., **905–913**
fistulas in, TPN for, *1981*: June, 706
in children, *1981*: Oct., **1125–1135**
with growth retardation, TPN in, *1981*: June, 703
Inguinal hernia, in infants and children, *1981*: Oct., 1137–1140
Injuries. See *Trauma*, *Wounds*, and names of organs.
Inotropes, use in shock, *1982*: Feb., 27
Intermittent mandatory ventilation, and ventilation, *1983*: Oct., 1076–1078
Interposition, of colon, and esophageal cancer, *1983*: Aug., 948
and esophageal stricture, *1983*: Aug., 898
Intestinal cancer, intravenous hyperalimentation in, *1983*: Feb., 22–23
Intestinal ischemia, in surgical patients, *1983*: Oct., 997
Institutional Differences Study, *1982*: Aug., 786
Intensive care unit, transfer of trauma patient to from operating room, *1982*: Feb., 43
Intermedullary nailing, *1983*: June, 615–622
Intervertebral disc., *1983*: June, 516
computed tomographic evaluation of, *1983*: June, 593
herniated, acute, *1983*: June, 522
Intestinal stenosis, in neonatal necrotizing enterocolitis, *1981*: Oct., 1019
Intestine(s). See also specific parts and names of disorders.
inflammatory disease, in children, *1981*: Oct., **1125–1135**
Intima, of proximal upper extremity veins, injury to, *1982*: June, 386–387
Intra-abdominal abscess, in critically ill patient, *1982*: Apr., **229–239**
percutaneous aspiration and drainage of, *1982*: April, 236–237
Intravenous cholangiography, *1981*: Aug., 777
in pancreatitis, *1981*: Aug., 929–930
Intravenous hyperalimentation, complications, *1981*: June, 590–591; *1983*: Feb., 17–21
Crohn's disease, *1983*: Feb., 21
development, *1981*: June, **429–435**
intestinal cancer, *1983*: Feb., 22–23
intestinal disease and, *1983*: Feb., **11–26**
requirements for, *1983*: Feb., 16–17
intestinal fistulae, *1983*: Feb., 22
mucosal ulcerative colitis, *1983*: Feb., 21–22
techniques, *1981*: June, **583–592**
to prevent postsurgical malnutrition, *1981*: June, 725
Intravenous nutrition, adenosine triphosphate in, *1981*: June, 515
amino acids in, *1981*: June, 515
carbohydrates in, *1981*: June, 514
fat emulsion in, *1981*: June, 515
in sepsis, formulas for, *1981*: June, 687–688
Intraventricular conduction disturbances, use of pacing before noncardiac surgery, *1983*: Oct., 1110
Intubation, endotracheal. See *Endotracheal intubation*.
in patient with head injury, *1982*: Feb., 32–33
Intussusception, of appendiceal stump, *1983*: Dec., 1244
IPPB. See *Intermittent positive-pressure breathing (IPPB)*.
Irradiation. See *Radiation therapy*.
Ischemia, colon, complication after abdominal aortic reconstruction, *1983*: Dec., 1285
lower limb, complication after aneurysmectomy, *1983*: Dec., 1274–1275
visceral, chronic, *1982*: June, **345–356**
Ischemic colitis, endoscopic appearance, *1982*: Oct., 909
Ischemic contracture, *1983*: June, 539. See also *Compartment syndromes*.

Islet cell, angiographic findings with, *1981*: Feb., 42
transplantation of, *1981*: Feb., 91–95
Isoflurane, cardiovascular effects of, *1983*: Oct., 1038
in trauma, *1982*: Feb., 35
Isoniazid, for lung cancer, *1981*: Dec., 1291
Isoproterenol, and cardiac output of critically patient, *1983*: April, 476

JAUNDICE, cholangiography in, *1981*: Aug., 846
in newborns, *1981*: Oct., 1080
in periampullary cancer, *1981*: Feb., 99
postinjury, *1982*: Feb., 157–158
visualization of biliary ductal system in, *1981*: Aug., 836–838
Jejunoileitis, diffuse, *1983*: Feb., 35
Jejunostomy, fine needle catheter, in postsurgical malnutrition, *1981*: June, 724–725
Jejunostomy feeding, *1982*: April, 326–327
Joint(s), arthroplasty of, *1983*: June, **697–714**
arthroscopy of, *1983*: June, **599–605**
traumatic synovitis of, *1983*: June, 572
Joint replacement, articulated, *1981*: April, 371–372
Jonas prosthesis, *1982*: Dec., 991, 992

K CELLS, *1983*: April, 247
Kallikrein, *1983*: April, 227–229
Kegel exercises, *1982*: April, 268
Kehr's sign, *1981*: Feb., 3
Keofeed nasoduodenal tube, *1982*: April, 326, 327
Katamine, cardiovascular effects of, *1983*: Oct., 1040
in trauma, *1982*: Feb., 35
Kidney. See also *Renal*.
adenocarcinoma of, *1982*: Dec., **1101–1118**
anatomy of, *1982*: Dec., 1049
concentrating capacity of, postoperative impairment, *1982*: Feb., 141–143
failure, acute, following crush injury, *1982*: Feb., 145–146
nutritional support in, *1981*: June, **661–670**; *1982*: April, 328–329
treatment of, *1982*: Feb., 146–147
trauma to, *1982*: Dec., 1049–1062
classification of, *1982*: Dec., 1057–1058
with pancreatic trauma, *1982*: Dec., 1055
vascular pedicle repair of, questionable success of, *1982*: Dec., 1060–1062
Knee, amputations above, *1983*: June, 762–763
amputations below, *1983*: June, 759–761
arthroplasty of, *1983*: June, **706–712**
biomechanics of, *1983*: June, 707
disarticulation of, *1983*: June, 761–762
meniscal repair, arthroscopic, *1983*: June, 602
total replacement of, *1983*: June, 706–712
Kwashiorkor, *1981*: June, 438

LABORATORY tests. See also *Tests*.
Lactic dehydrogenase, serum, *1981*: Feb., 201
Laparotomy, for diverticulitis, *1983*: Feb., 102
Large bowel, carcinoma, adjuvant therapy, *1981*: Dec., 1311–1320
BCG for, *1981*: Dec., 1298
chemo-immunotherapy for, *1981*: Dec., 1319
5-fluorodeoxyuridine for, *1981*: Dec., 1315
5-FU for, *1981*: Dec., 1297–1299, 1315–1317
after palliative resection, *1981*: Dec., 1326
effectiveness of, *1981*: Dec., **1321–1329**
preoperative radiotherapy for, *1981*: Dec., 1313–1315
principles of operation for, *1981*: Dec., 1296
prolonged intermittent 5-FU for, *1981*: Dec., 1317–1318
recurrence and death rates after curative resection, *1981*: Dec., 1323–1326
status of adjuvant treatments, *1983*: Feb., **137–150**
chemotherapy, *1983*: Feb., 145–147
intraluminal, *1983*: Feb., 147
radiotherapy, *1983*: Feb., 139
pre- and postoperative compared, *1983*: Feb., 139–145
surgical excision, *1983*: Feb., 139–145
Thiotepa for, *1981*: Dec., 1297, 1315
unfavorable prognostic signs, *1981*: Dec., 1317
Laryngeal nerve, recurrent, injury from thyroidectomy, *1983*: Dec., 1355–1357
superior, injury after carotid endarterectomy, *1983*: Dec., 1295–1296
injury from thyroidectomy, *1983*: Dec., 1357–1358

Larynx, fracture of, *1982*: Feb., 32
Lasègue's test, *1983*: June, 520
Laser vaporization, in rectal cancer, *1983*: Feb., 130
Lateral nerve root entrapment, *1982*: April, 292
Lavage, peritoneal. See *Peritoneal lavage*.
LeForte classification of maxillary fractures, *1982*: Feb., 89
Leg, amputations of, *1983*: June, 755–763
  anatomy of, *1983*: June, 542, 546
  compartments of, *1983*: June, 542–546
  compartment syndrome of, decompression for, *1983*: June, 559
  peripheral nerves of, *1983*: June, 544
  pain, herniated disc and, *1983*: June, 522
Leiomyoma, esophageal, *1983*: Aug., 926–929
Leucine aminopeptidase, *1981*: Feb., 200
Leukocytes, C5a stimulation of, *1983*: April, 266–267
  in malnutrition, *1981*: June, 564–565
Levamisole, for lung cancer, *1981*: Dec., 1291, 1292
  for malignant melanoma, *1981*: Dec., 1252
Limb(s), compression of, with prolonged immobilization, *1983*: June, 550
  ischemia of, *1983*: June, 749
  viability of, evaluation of, *1983*: June, 751–755
Lincomycin, use in patients with hepatic dysfunction, *1982*: April, 335
Lipid(s), circulating, in orthopedic patients, *1983*: June, 531
Lipid system, in peripheral parenteral nutrition, *1981*: June, 595–597
Liver, abscess of, percutaneous drainage of, *1981*: Feb., **157–167**
  bile duct carcinoma, *1981*: Feb., 175
  carcinoma of, *1981*: Feb., **169–180**
  CT and ultrasound examination of, *1981*: Aug., 808, 812
  disease. See also *Jaundice*.
    nutritional support in, *1981*: June, **653–660**
  failure of, *1982*: Feb., **157–165**; *1983*: April, 323
    after trauma, *1981*: June, 676
    nutritional support in, *1982*: April, 328
    pathophysiology of, *1981*: Feb., **221–230**
  focal nodular hyperplasia of, *1981*: Feb., 184
  function, abnormalities, with parenteral nutrition in children, *1981*: Oct., 1097
    assessment of, *1981*: Feb., **197–207**
    effect of TPN on, *1981*: June, 516
  lesions of, hemorrhage in, *1981*: Aug., **973–979**
Liver *(Continued)*
  metastatic disease of, *1981*: Feb., 188–194
  trauma to, *1981*: Feb., 11–14
    in children, *1981*: Oct., **1165–1180**
  tumors of, *1981*: Feb., **181–196**
    in children, *1981*: Oct., **1209–1217**
    malignant, *1981*: Feb., **169–180**
  ultrasound examination of, *1981*: Aug., 791–794
Liver cell carcinoma, *1981*: Feb., 170–175
Lobectomy, pulmonary, indications for, *1982*: April, 200–201
Loop ileostomy, Crohn's disease and, *1983*: Feb., 43–44
Lorazepam, cardiovascular effects of, *1983*: Oct., 1040
Low back pain, *1983*: June, **515–528**
  disorders of, in geriatric patient, *1982*: April, **291–295**
  evaluation in low back pain, *1983*: June, 519–520
Lung. See also *Pulmonary*.
  adjuvant therapy for, surgical, *1981*: Dec., 1284–1289
    BCG for, *1981*: Dec., 1291–1292
    choice of adjuvant modality, *1981*: Dec., 1286
    combination chemotherapy for, *1981*: Dec., 1290
    isoniazid for, *1981*: Dec., 1291
    levamisole for, *1981*: Dec., 1291, 1292
    natural history after resection, *1981*: Dec., **1279–1287**
    type of tumor, correlated with survival, *1981*: Dec., 1281
  contusion of, *1980*: Dec., 1546; *1982*: Feb., 101–102
    in infants and children, *1981*: Oct., 1183
  edema, in sepsis, *1981*: June, 688–689
  function, effect of TPN on, *1981*: June, 516–517
  prenatal development of, congenital diaphragmatic hernia and, *1981*: Oct., 1025
Lymph node, retroperitoneal, CT of, *1982*: Dec., 921, 922
Lymphadenectomy, for testicular cancer, *1982*: Dec., 1122–1124
  in renal carcinoma, *1982*: Dec., 1110–1111
  staging, value of in prostatic carcinoma, *1982*: Dec., 1094–1097
Lymphagiography, in prostatic carcinoma, shortcomings of, *1982*: Dec., 1094
Lymphangiosarcoma, mastectomy and, *1983*: Dec., 1347–1348
Lymphatic leakage, after aortofemoral reconstruction, *1983*: Dec., 1287–1288

Lymphedema, mastectomy and, *1983*: Dec., 1341–1345
Lymphocele, retroperitoneal, CT detection of, *1982*: Dec., 927
Lymphocytes, function in critically ill patient, *1983*: April, **245–261**
B, *1983*: April, 246
cellular immunity and dysfunction, *1983*: April, 249–251
K cells, *1983*: April, 247
mechanisms, suppression of cellular immunity, *1983*: April, 252–256
NK cells, *1983*: April, 247
skin-testing, *1983*: April, 248, 249
T, *1983*: April, 246–247
in malnutrition, *1981*: June, 563, 557–558
Lymphocyte-mediated cytotoxicity, in malnutrition, *1981*: June, 561
Lymphokines, production of, in malnutrition, *1981*: June, 561–562
Lymphoma, staging of, *1981*: Feb., 121
use of CT in, *1982*: Dec., 922

MALIGNANT disease. See *Carcinoma*.
Malignant hyperthermia, in pediatric surgery, *1981*: Oct., 1007
Malleolus, avulsion fracture of, *1983*: June, 636
Malnutrition, *1981*: June, 437–438
clinically important factors, study of, *1981*: June, 468–470
Malnutrition, diagnosis of, *1983*: Feb., 12–14
immunoglobulins in, *1981*: June, 563–564
in surgical patients, consequences, *1981*: June, **465–487**
in trauma patient, effect on defense mechanisms, *1982*: Feb., 191
leukocytes in, *1981*: June, 564–565
lymphocytes in, *1981*: June, 563; 557–558
macrophages in, *1981*: June, 565
protein-calorie, postoperative, *1981*: June, 721–724
treatment, *1981*: June, 725–726
Mandible, fracture of, *1982*: Feb., 84, 86–87, 89
Mannitol, use in intracranial hypertension, *1982*: Feb., 57
Manometry, operative, in choledocholithiasis, *1981*: Aug., 901–902
Marasmus, *1981*: June, 437
Mastectomy, closure of incision, *1983*: Dec., 1333–1334
complications of, *1983*: Dec., **1331–1352**
preoperative considerations and, *1983*: Dec., 1331–1333
Mastectomy *(Continued)*
lymphangiosarcoma and, *1983*: Dec., 1347–1348
lymphedema and, *1983*: Dec., 1341–1345
phantom breast syndrome and, *1983*: Dec., 1341
sepsis and, *1983*: Dec., 1336–1337
seroma and, *1983*: Dec., 1338–1339
shoulder dysfunction and, *1983*: Dec., 1345–1346
skin flap necrosis and, *1983*: Dec., 1337–1338
MAST. See *Anti-shock garment*.
Maxilla, fractures of, *1982*: Feb., 89–90
Mediastinoscopy, complications of, *1983*: Dec., 1262
Medical audit, *1982*: Aug., 753–756
Medical specialties, increases in board-certified rates in, *1982*: Aug., 583
Megacolon, acquired, in geriatric patient, *1982*: April, 250
constipation and, *1983*: Feb., 199
Hirschsprung's disease and, *1983*: Feb., 163, 173
Megarectum, *1983*: Feb., 211
constipation and, *1983*: Feb., 199
Melanoma, malignant, adjuvant therapy for, *1981*: Dec., **1249–1257**
BCG as immunotherapy, *1981*: Dec., 1250–1251, 1252, 1260–1261, 1269
compared with *C. parvum*, *1981*: Dec., 1250
C. parvum for, *1981*: Dec., 1259, 1261–1264
DTIC for, *1981*: Dec., 1252–1253
lavamisole for, *1981*: Dec., 1252
methyl-CCNU for, *1981*: Dec., 1270
Pseudomonas vaccine and chemotherapy for, *1981*: Dec., 1264–1265
radiotherapy for, *1981*: Dec., 1255
specific immunotherapy for, *1981*: Dec., 1252
surgical adjuvant therapy for, *1981*: Dec., **1259–1266**
transfer factor for, *1981*: Dec., 1251
Melzer-Lyons test, *1981*: Aug., 912
Meperidine, cardiovascular effects of, *1983*: Oct., 1039
MER, chemotherapy and, for large bowel cancer, *1981*: Dec., 1319
Metabolic acidosis, with parenteral nutrition, *1981*: Oct., 1096
Metabolic bone disease, bone scanning in, *1983*: June, 580–582
Metabolic sequelae, as complication of gastric restrictive procedure, *1983*: Dec., 1188–1189
Metabolism, after trauma, *1981*: June, 672–674

Metabolism *(Continued)*
effect of stress on, *1981*: June, 513–514
in cancer, *1981*: June, 694–696
in prolonged starvation, *1981*: June, 536–537
in sepsis, *1981*: June, 683
role of hormones, *1981*: June, 683–684
in stressed starvation, *1981*: June, 538–541
in uncomplicated starvation, *1981*: June, 529–535
Metastases. See also *Carcinoma* and specific type of tumor or body part affected.
pulmonary, surgery for, *1980*: Aug., **815–824**
Methoxyflurane, cardiovascular effects of, *1983*: Oct., 1038
Methyl-CCNU, for malignant melanoma, *1981*: Dec., 1270
5-FU and, for large bowel cancer, studies of effectiveness, *1981*: Dec., 1328
for rectal carcinoma, *1981*: Dec., 1318–1319
plus MER, for large bowel cancer, *1918*: Dec., 1319
toxicity of, *1981*: Dec., 1274
3-Methylhistidine, measurement of somatic protein mass, *1981*: June, 455
Metoclopramide, sphincter tone and, *1983*: Aug., 845
Metocurine, cardiovascular effects of, *1983*: Oct., 1041
Metronidazole, use in patients with hepatic dysfunction, *1982*: April, 335
Microembolism syndrome, and adult respiratory distress, *1983*: April, 289–298
inhibition of fibrinolysis, agent responsible, *1983*: April, 290–292
treatment, *1983*: April, 298–301
Microembolization, causing pulmonary injury, controversy concerning, *1980*: Dec., 1381–1383
Microsurgery, in orthopedics, *1983*: June, **737–748**
Microvascular surgery, in bone grafting, *1983*: June, 625–627
in digital replantation, *1981*: April, 391–393
Micturition, neurophysiology of, *1982*: Dec., 1075–1077
Mid-upper arm circumference, measurement of, *1981*: June, 452–454
Mikulicz operation, for acute diverticulitis, *1983*: Feb., 109
Minimum alveolar concentration, and potency of anesthetics, *1983*: Oct., 1036
Mitogen responsiveness, in trauma patients, *1982*: Feb., 174–175
Mitomycin C, for superficial bladder tumors, *1981*: Dec., 1335–1336
Mitral insufficiency, anesthesia of the surgical patient with, *1983*: Oct., 1045
Mitral stenosis, anesthesia of the surgical patient with, *1983*: Oct., 1044
Monitoring, in pediatric surgery, *1981*: Oct., 1003–1007
Mono-octanoin, for dissolution of bile duct stones, *1982*: Oct., 830; *1983*: Dec., 1196
Morbidity rates, surgical, variations in, *1982*: Aug., 786
Morphine, cardiovascular effects of, *1983*: Oct., 1039
Mortality, surgical, variations in, *1982*: Aug., 786
Motility, esophageal, in asymptomatic volunteers, *1983*: Aug., **777–786**
measurement of, *1983*: Aug., 778, 780, 782–783
Mucosal resistance, reflux and, *1983*: Aug., 842
Mucosal ulcerative colitis, intravenous hyperalimentation in, *1983*: Feb., 21–22
Multiple injuries, ophthalmic considerations in patients with, *1982*: April, **301–308**
Muscle relaxants, in pediatric anesthesia, *1981*: Oct., 1000
Muscle. See name of muscle.
Muscle compartment syndromes, *1983*: June, **539–565.** See also *Compartment syndromes.*
Muscle strength, tests for, *1981*: April, 303–304
Musculoskeletal sarcoma, *1983*: June, **671–696**
clinical staging of, *1983*: June, 679–681
computed tomography in, *1983*: June, 591–593
surgical margins of, *1983*: June, 678
surgical staging of, *1983*: June, 675–678
Musculoskeletal trauma, bone scanning in, *1983*: June, **567–585**
complications of, *1983*: June, 575–580
computed tomography in, *1983*: June, 588–595
infection after, *1983*: June, 579
venous thrombosis and, *1983*: June, 530–532
Musculoskeletal tumors, computed tomography in, *1983*: June, 591–593
Myelofibrosis, splenectomy for, *1981*: Feb., 120
Myocardial infarction, *1982*: Feb., 12
acute, diagnosis, cardiac enzymes and, *1983*: Oct., 1086–1087
EKG changes, *1983*: Oct., 1086
therapy of, *1983*: Oct., 1087–1089
postoperative, preoperative predictors of, *1983*: Oct., 978–979

Myocardial ischemia, postoperative, diagnosis and management of, *1983*: Oct., **1081–1089**
Myocardial oxygen consumption, determinants of, *1983*: Oct., 1081–1082
Myocardium, contusion of, *1980*: Dec., 1547; *1982*: Feb., 11–12, 102
failure of, *1982*: Feb., **149–156**
Myocutaneous flap, for radiation wound, *1982*: April, 315–316
Myofascial defects, *1983*: June, 546
Myositis ossificans, diagnosis of, *1983*: June, 578
Myotomy, antireflux procedures after, *1983*: Aug., 881–882
cricopharyngeal, *1983*: Aug., 820, 821, 822
technique of, *1983*: Aug., **833–839**
distal, and esophageal spasm, *1983*: Aug., 958
esophageal, and gastroesophageal reflux, *1983*: Aug., **877–884**
types, *1983*: Aug., 877–878
extended, fundoplication and, in esophageal spasm, *1983*: Aug., 960–961
proximal, of esophageal spasm, *1983*: Aug., 958
Myxedema, as complication of thyroidectomy, *1983*: Dec., 1359–1360

NAIL-edge gangrene, *1982*: June, 378, 379
Nailing, intermedullary, *1983*: June, 615–622
Necrosis, skin flap, mastectomy and, *1983*: Dec., 1337–1338
tubular, in acute kidney failure, *1983*: April, 362–364
Necrotizing enterocolitis, in neonates, *1981*: Oct., **1013–1022**
Needle aspiration, endoscopic fine, and pancreatic cancer, *1983*: Dec., 1206
percutaneous fine, and biopsy of pancreas, *1983*: Dec., 1207–1208
Needle catheter jejunostomy, *1981*: June, 612
Neonate. See *Infant, newborn*.
Neoplasms. See *Tumors*.
Nephrectomy, for surgical injury to ureter, *1982*: Dec., 1067
radical, for Wilms' tumor, *1981*: Oct., 1224
Nephrostomy, *1982*: Dec., 1031
Nerve(s). See also under specific names.
of hand, coaptation of, *1981*: April, 325–327, 330
repair, *1981*: April, **321–340**
primary versus secondary, *1981*: April, 322–324
Nerve(s) *(Continued)*
peripheral, microsurgical repair of, *1983*: June, 740–741
Nerve conduction, electrical studies of, *1981*: April, 314
Nerve graft, in hand, *1981*: April, 331–332
Nerve root compression, tests for, *1983*: June, 519–520
Nervous system, central, hepatic failure and, *1981*: Feb., 224
Neurogenic bladder dysfunction, *1982*: April, 269
in children, undiversion in, *1981*: Oct., 1158
Neurogenic intermittent claudication, *1982*: April, 292
Neurologic examination, of trauma patient, *1982*: Feb., 14
Neurolysis, in hand, *1981*: April, 336
Neuroma, of fingertip, *1981*: April, 259–260
repair of groin hernia and, *1983*: Dec., 1370
Neutron activation, in nutritional assessment, *1981*: June, 747–748
Newborn. See *Infant, newborn*.
Niacin, *1981*: June, 503–504
Nicotinic acid, *1981*: June, 503–504
Nifedipine, therapy for angina pectoris, *1983*: Oct., 1085
Ninhydrin test, *1981*: April, 313
Nissen fundoplication, and esophagitis, *1983*: Aug., 863, 865
complications of, *1983*: Dec., **1155–1165**
in infants and children, *1981*: Oct., 1109
Nissen hernia repair, and peptic strictures, *1983*: Aug., 897
Nitrates, perioperative management of, *1983*: Oct., 1052
Nitrogen balance, *1981*: June, 642
energy intake and, *1981*: June, 553, 554
formula, *1981*: June, 579
Nitrogen loss, *1981*: June, 495, 497
Nitroglycerin, and perioperative management of surgical patient, *1983*: Oct., 1052
therapy for myocardial ischemia, *1983*: Oct., 1084
Nitrous oxide, cardiovascular effects of, *1983*: Oct., 1037
NK cells, *1983*: April, 247
Noncardiac surgery, pacemakers, in, *1983*: Oct., **1103–1112**
Nonstress test, *1982*: April, 284
Nose, fractures of, *1982*: Feb., 92
Nosocomial infection, surgical. See also organ or system involved.
5'Nucleotidase, serum, *1981*: Feb., 200
Nuclide scanning, in pancreatitis, *1981*: Aug., 930
Nursemaid's elbow, *1983*: June, 657

Nutrition. See also *Diet*.
assessment of, laboratory values used in, *1982*: April, 322
techniques, *1981*: June, **437–463**; 749–750
to identify patients for nutritional support, *1981*: June, 574
critically ill patient and, *1983*: April, **497–507**
balance of nutrients, *1983*: April, 501–502
caloric requirements, *1983*: April, 499–500
complications, *1983*: April, 505–506
efficacy, *1983*: April, 504–505
enteral route, *1983*: April, 503
protein requirements, *1983*: April, 501
immune response and, *1981*: June, **557–569**
in cancer, *1981*: June, **691–700**
in surgical patients, symposium on, *1981*: June, **429–753**
normal requirements, *1981*: June, **489–507**
parenteral, in infants and children, *1981*: Oct., **1089–1100**
total parenteral (TPN), *1982*: April, 323–324. See also *Hyperalimentation*.
central venous, vascular access, *1982*: June, 532–537
cost effectiveness, *1981*: June, 745
effect on hepatic function, *1981*: June, 516
effect on pulmonary function, *1981*: June, 516–517
efficacy of carbohydrate versus lipid calories, *1981*: June, 737
gallbladder complications, *1981*: June, 676
home, *1981*: June, **621–633**
in Crohn's disease, *1981*: June, 702–703
in inflammatory bowel disease with fistulas, *1981*: June, 706
with growth retardation, *1981*: June, 703
in pancreatitis, *1981*: June, 704
in renal failure, *1981*: June, 666–668
in ulcerative colitis, *1981*: June, 702
peripheral venous, vascular access in, *1982*: June, 531–532
preoperative, effect on operative morbidity and mortality, *1981*: June, 478–484
solutions, optimum amino acid concentration, *1981*: June, 738
Nutrition support service, cost effectiveness, *1981*: June, 718–719
establishment of, *1981*: June, 710
Nutrition support team, roles of members, *1981*: June, 711–714
Nutritional deficiencies, disease states associated with, *1981*: June, 439
Nutritional markers, predictors of operative morbidity and mortality, *1981*: June, 470–477
Nutritional support. See also specific type of support.
as primary therapy, *1981*: June, 572
body composition and, *1981*: June, **729–741**
cost effectiveness, *1981*: June, 580
decision-making in, *1981*: June, **571–582**
ethical considerations, *1981*: June, 745–746
in cancer, *1981*: June, 697–698
in cardiac failure, *1981*: June, **635–652**
in gastrointestinal disease, *1981*: June, **701–708**
in hepatic disease, *1981*: June, **653–660**
in hepatic failure, *1982*: Feb., 162–163
in renal failure, *1981*: June, **661–670**
in sepsis, *1981*: June, **681–690**
in trauma, *1981*: June, **671–679**; *1982*: Feb., 185–190
of surgical patient, *1982*: April, **321–331**
overfeeding in, *1981*: June, 577–578

Obesity, morbid, gastric restrictive operations, complications in, *1983*: Dec., **1181–1190**
Obstruction, stomal, as complication of gastric restrictive procedures, 1983: Dec., 1185–1187
Occlusive devices, artificial, with ileostomy, *1983*: Feb., 52
Occlusive disease, femoropopliteal, *1983*: Oct., 999
Ocular vestibular reflex, test of in head injury, *1982*: Feb., 49
Oculopharyngeal muscular dystrophy, oropharyngeal dysphagia and, *1983*: Aug., **825–832**
Oculocephalic reflex, test of in head injury, *1982*: Feb., 49
Olecranon fractures, *1983*: June, 656
Oliguria, patterns of, *1983*: April, 365–368
postoperative, *1982*: Feb., 143–145
renal failure and, *1983*: April, 320–321
Omentum, use for radiation wound coverage, *1982*: April, 316
Omphalocele, *1981*: Oct., **1037–1049**
Oncocytoma, renal, *1982*: Dec., 1103
Opsonins, leukocyte stimulation and, *1983*: April, 266–267
Optic nerve, examination of for damage, *1982*: April, 307–308
Oral cholecystography, *1981*: Aug., 776–777
in pancreatitis, *1981*: Aug., 929

Orbit, fractures of, *1982*: *Feb.*, *90–92*
Organ failure, multiple, *1983*: April, **315–336**
acute renal failure, *1983*: April, 319–321
adult respiratory distress syndrome, *1983*: April, 317–319
central nervous system, *1983*: April, 327
cholecystitis, acute acalculous, *1983*: April, 325
effects on coagulation, *1983*: April, 326
head injury and, *1983*: April, 409–411
hepatic, *1983*: April, 323–325
host defense mechanisms, *1983*: April, 329
microaggregate concept, *1983*: April, 327–328
sepsis-induced fuel-energy deficit, *1983*: April, 389–393
stress ulcers, *1983*: April, 322
thrombocytopenia, *1983*: April, 326, 327
Orthopedic disorders, computed tomography in, *1983*: June, **587–597**
Orthopedic patient, geriatric, morbidity and mortality in, *1982*: April, **297–300**
venous thromboembolism in, *1983*: June, **529–537**
Orthopedics, microsurgery in, *1983*: June, **737–748**
Orthopedic surgery, arthroscopic, *1983*: June, **599–605**
Osteochondral fractures, *1983*: June, 635
Osteodystrophy, renal, *1983*: June, 666
Osteogenesis imperfecta, *1983*: June, 666
Osteomyelitis, diagnosis of, *1983*: June, 578
Osteopetrosis, *1983*: June, 666
Osteotomy, compartment syndromes after, *1983*: June, 552
Outpatient surgery. See *Ambulatory surgery*.
Overlapping, in sphincter repair, *1983*: Feb., 183
Oxygen consumption in critically ill patient, *1983*: April, 456, 458
in hypotensive states, *1983*: April, 307–308
sepsis and metabolic alterations in, *1983*: April, 382
Oxygen delivery, in critically ill patient, *1983*: April, 456, 458, 466
mannitol, *1983*: April, 469
Oxytocin challenge test, *1982*: April, 284

P-900, in peripheral parenteral nutrition, *1981*: June, 601
Pacemaker, in noncardiac surgery, *1983*: Oct., 1103–1112
Pacemaker *(Continued)*
in noncardiac surgery, permanent, *1983*: Oct., 1104
assessment of malfunction, *1983*: Oct., 1105
interference by electrocoagulation unit, *1983*: Oct., 1106
reprogramming of, *1983*: Oct., 1107
temporary, *1983*: Oct., 1107–1111
insertion of electrodes, *1983*: Oct., 1110
Paget's disease, bone scanning in, *1983*: June, 580–582
Pain, in compartment syndromes, *1983*: June, 553
of relapsing pancreatitis, *1981*: Feb., 77
Pancreas, abscess of, *1981*: Feb., 68
biopsy of, *1981*: Feb., 108
cancer of, *1981*: Feb., **107–115**
angiography in, *1981*: Feb., 37–43
extent of resection for, *1981*: Feb., 111–114
disease, CT and ultrasound of, *1981*: Aug., 814
endoscopic retrograde cannulation of, *1981*: Feb., 23, 101
hemorrhagic necrosis of, *1981*: Aug., 929
imaging of, *1981*: Feb., **17–45**
injury to, *1981*: Feb., **6–11**
splenectomy and, *1983*: Dec., 1318
operative biopsy of, *1983*: Dec., 1208–1212
physiology of, *1981*: Feb., **47–54**
pseudocysts of, *1981*: Feb., 73–75
surgery of, bypass, *1981*: Feb., 111
transplantation of, *1981*: Feb., **85–98**
trauma to, pancreatitis after, *1981*: Feb., 73
ultrasound examination of, *1981*: Aug., 794
Pancreatectomy, nutritional problems after, *1981*: June, 727
total, for cancer, *1981*: Feb., 111
Pancreatic biopsy, *1983*: Dec., **1205–1214**
Pancreatic duct, obstruction of, endoscopic management of, *1982*: Oct., **837–844**
Pancreatitis, acute, *1981*: Feb., **55–70**
prognostic signs in, *1981*: Feb., 58–59
surgery for, *1981*: Feb., 63
chronic, *1981*: Feb., **71–83**
islet cell transplant in, *1981*: Feb., 91–95
relapsing, *1981*: Feb., 77
complication of cholecystectomy and, 1983: Dec., 1201
endoscopic management, *1982*: Oct., **845–852**
endoscopic sphincterotomy for, *1982*: Oct., 845–846
gallstone, *1981*: Aug., 923–938
nutritional support in, *1981*: June, 704–705

Pancreatitis *(Continued)*
respiratory complications of, *1981*: Feb., 62
role of bile in, *1981*: Aug., 924–925
role of common bile duct stones, *1981*: Aug., 925
ultrasonography in, *1981*: Feb., 28–32, 101
Pancreatoduodenal resection, *1981*: Feb., 111
Pancuronium, in trauma, *1982*: Feb., 35
Papilla of Vater, disease of, *1981*: Aug., 909–913
Papillitis, complication of cholecystectomy and, 1983: Dec., 1200–1201
Papineau graft, *1983*: June, 623
Paratenon, of hand, *1981*: April, 269
Parathyroid gland(s), disorders of. See also specific disorders, as *Hyperparathyroidism*.
Parenteral nutrition. See also *Hyperalimentation;* and *Nutrition, total parenteral (TPN)*.
in infants and children, *1981*: Oct., **1089–1100**
Paresis, nerve, after carotid endarterectomy, *1983*: Dec., 1293–1296
Paresthesia, in compartment syndromes, *1983*: June, 554
Parotid duct, injury to, *1982*: Feb., 83, 84
Patent ductus arteriosus, *1981*: Oct., 1070
Pectus carinatum, *1981*: Oct., 1204
Pectus excavatum, *1981*: Oct., 1199
Pediatric orthopedics, computed tomography in, *1983*: June, 594–595
Pediatric. See *Children; Infants*.
Pediatric surgery, anesthesia for, *1981*: Oct., **997–1012**
PEEP. See *Positive end-expiratory pressure*.
Pelvic abscess, after appendectomy, *1983*: Dec., 1241–1243
drainage, *1983*: Dec., 1242
Pelvis, trauma to, computed tomography in, *1983*: June, 588–589
Penicillin, for intra-abdominal abscess, *1982*: April, 234
use in patient with hepatic dysfunction, *1982*: April, 334
prophylaxis, for surgical patients with prosthetic heart valves. *1983*: Oct., 1012–1013
Penis, blood flow to, *1982*: Dec., 981, 984
ejaculation and erection of, *1982*: Dec., 1077–1079
Peptic strictures, reflux-related, *1983*: Aug., 891–893
bougienage of, *1983*: Aug., 895–896
Peptic ulcer. See *Duodenum, ulcer*.
Peptides, effect on pancreatic secretion, *1981*: Feb., 52
Percutaneous cannulation, for temporary vascular access, *1982*: June, 539
Percutaneous transhepatic cholangiography, *1981*: Feb., 25–28, 101; Aug., 777–778, 931
in choledocholithiasis, *1981*: Aug., 898–899
thin needle, in acute sclerosing pancreatitis, *1981*: Aug., 955
Percutaneous transluminal angioplasty, *1982*: June, **357–372**
Perfluorocarbons, blood banking and, *1983*: April, 485–487
Perforation, gastric, and gastric restrictive operation, *1983*: Dec., 1183–1185
Perforative diverticulitis, management of, *1983*: Feb., **97–115**
Perfusion, normal *1983*: April, 339–341
Periampullary carcinoma, familial polyposis coli and, *1983*: Feb., 120
Pericardial disease, anesthesia of the surgical patient and, *1983*: Oct., 1045–1046
Pericardial tamponade, *1982*: Feb., 11
Perichondrial ring injuries, *1983*: June, 646
Perineal fistula, in Crohn's disease, *1983*: Feb., 32
Peripheral arterial disease, diagnosis, noninvasive tests for, *1982*: June, **473–487**
Peripheral nerves, injuries to, assessment of, *1981*: April, **303–319**
microsurgical repair of, *1983*: June, 740–741
Peripheral parenteral nutrition, *1981*: June, **593–604**
lipid system in, *1981*: June, 595–597
P-900 in, *1981*: June, 601
thrombophlebitis in, prevention, *1981*: June, 601
Peripheral vascular disease, evaluation of surgical patients with, *1983*: Oct., 987–989
Peripheral veins, in total parenteral nutrition, *1982*: June, 531–532
Peritoneal drainage, in neonates, *1981*: Oct., 1019
Peritoneal lavage, during pregnancy, *1982*: April, 282–283
for abdominal trauma, *1982*: Feb., 106–107
in children, *1981*: Oct., 1166
in diagnosis of intra-abdominal bleeding, *1982*: Feb., 15
in pancreatitis, *1981*: Feb., 65–68
Peritonitis, as complication of gastric restrictive operation, *1983*: Dec., 1183–1185
treatment of, *1983*: Dec., 1237–1238
drainage, *1983*: Dec., 1237–1238

PGI_2, consequences of synthesis, *1983*: April, 269–273
inhibition of platelet aggregation and, *1983*: April, 267–269
permeability edema and, *1983*: April, 279
Phalanx(ges), distal, amputation of, *1981*: April, 249–254
fracture, *1981*: April, 257
middle, amputation of, *1981*: April, 254
proximal, amputation of, *1981*: April, 256
Phantom breast syndrome, mastectomy and, *1983*: Dec., 1341
Pheochromocytoma, and risk of elective surgery, *1983*: Oct., 1020–1022
retroperitoneal, CT detection of, *1982*: Dec., 926
Phlebitis, deep, evaluation, for saphenous vein stripping, *1983*: Dec., 1305–1306
Phlebography, descending, *1982*: June, 403
radionuclide, *1982*: June, 492
Phleborheography, *1982*: June, 491–492
Photoplethysmography, and saphenous valvular incompetence, *1983*: Dec., 1305
Phyrigian cap, imaging of, *1981*: Aug., 795
Physician assistant, use of in surgery, *1982*: Aug., **669–675**
Plasmapheresis, *1982*: June, 549–550
Platelet(s), aggregation inhibitors of, *1983*: June, 534
release, 5-hydroxytryptamine and, *1983*: April, 275–278
Plethysmography, and saphenous vein occlusion, *1983*: Dec., 1306
in measurement of body volume, *1981*: June, 749
venous, *1982*: June, 491–492
Pleural effusion, *1981*: Feb., 76
Pneumatic suit, *1982*: Feb., 25
Pneumococcal vaccine, polyvalent, *1981*: Feb., 132
Pneumonectomy, indications for, *1982*: April, 201
Pneumoperitoneum, in neonates, *1981*: Oct., 1018
Pneumothorax, *1982*: Feb., 98
in infants and children, *1981*: Oct., 1186
open, *1982*: Feb., 100
tension, *1982*: Feb., 11, 101
Polyps, colonic, malignant transformation of, debate over, *1982*: Oct., 861–862
endoscopic management, rationale for, *1982*: Oct., **861–867**
esophageal, *1983*: Aug., 930
hyperplastic, *1982*: Oct., 862
pedunculated, colonoscopic removal of, *1982*: Oct., 881–882
sessile, colonoscopic removal of, *1982*: Oct., 882–883
Polypectomy, colonoscopic, *1982*: Oct., 881–883, **877–887**
complications of, *1982*: Oct., 893–894
Polytetrafluoroethylene (Gore-Tex), as vascular graft material, *1982*: June, 504–505, 546
Popliteal vascular entrapment, *1982*: June, 450–453
Portal-systemic shunting, and control of variceal bleeding, *1983*: Aug., 905–906
Positive end-expiratory pressure (PEEP), *1982*: Feb., 129; *1983*: April, 343–344, 426
clinical trials in, *1983*: April, 426–428
effect on cardiac output, *1983*: Oct., 1075
mechanical ventilation, *1983*: April, 426
pulmonary capillary wedge pressure and, *1983*: Oct., 1076
side effects, *1983*: Oct., 1076
support of circulation, *1983*: April, 478–479
Postcholecystectomy syndrome, 1983: Dec., 1201–1202
Postconcussion syndrome, *1982*: Feb., 59
Postocclusion reactive hyperemia, *1982*: June, 481, 483
Post-thrombotic syndrome, *1982*: June, 495
Practice, surgical, federal legislation and the future of, *1982*: Aug., **771–779**
organization of, influence on patient care, *1982*: Aug., **677–684**
surgeon preferences in, *1982*: Aug., 650–653
trends in, *1982*: Aug., 649–650
quality assurance in, *1982*: Aug., **751–759**
Prealbumin, serum, assessment of visceral protein, *1981*: June, 458
Pregnant patient, trauma in, *1982*: April, **275–289**
Pregnancy, appendicitis during, *1983*: Dec., 1244–1245
Prekallikrein, *1983*: April, 227–229
PRESSO program, *1982*: Aug., 707, 715
PROCES program, *1982*: Aug., 706–707, 715
Procidentia. See *Prolapse*.
Proctocolectomy, for inflammatory disease in children, *1981*: Oct., 1127
ileostomy and, *1983*: Feb., 123–124
Prognostic Nutritional Index, *1983*: Feb., 14–15
Prolamine, occlusion of Wirsung's duct with, *1982*: Oct., 848
Prolapse, rectal, *1983*: Feb., 209
Propranolol, and perioperative management, *1983*: Oct., 1050–1052
Prostaglandin, and antiaggregatory response, *1983*: April, 267–269
Prostaglandins, pancreatic secretion and, *1981*: Feb., 52

Prostate, carcinoma of, *1982*: Dec., **1085–1099**
bone marrow acid phosphatase determinations in, *1982*: Dec., 1088–1090
lymph node involvement in, detection of, *1982*: Dec., 1093–1094
prostatic acid phosphatase determinations in, *1982*: Dec., 1088–1090
Prostatectomy, fictional case history, use in study of surgical decision-making, *1982*: Aug., 726–727
Prosthesis, penile, for impotency, *1982*: Dec., 991–996
vascular. See *Vascular graft*.
Prosthetic heart valves, and need for antibiotic prophylaxis, *1983*: Oct., 1065
in patients at risk for endocarditis, *1983*: Oct., 1014
preoperative management of patients with, *1983*: Oct., 990
Protein, allowance, *1981*: June, 497
metabolism, normal, *1981*: June, 520–521
in stress, *1981*: June, 524–525
requirements, in congestive heart failure, *1981*: June, 642–643
Protein-calorie malnutrition. See *Malnutrition, protein-calorie*.
Protein sparing, *1981*: June, 512–513
Protein-sparing therapy, *1981*: June, 597–601; *1982*: April, 324
in postsurgical malnutrition, *1981*: June, 725
Proteinase, digestion of macromolecules by, *1981*: April, 359
secretion of, *1981*: April, 359
Proteoglycans, degradation of in arthritis, *1981*: April, 357–358
structure of, *1981*: April, 357
Prothrombin concentration, *1981*: Feb., 202
Pseudoaneurysm, complication of aortic reconstruction, *1983*: Dec., 1284–1285
femoral, *1982*: June, **431–440**
Pseudoarthrosis, bone scanning evaluation of, *1983*: June, 573–574
Pseudocysts, of pancreas, *1981*: Feb., 73–75
Pseudomegacolon, in geriatric patient, *1982*: April, 250
Pseudomembranous colitis, endoscopic appearance, *1982*: Oct., 909–910
Pseudomonas vaccine, for malignant melanoma, with chemotherapy, *1981*: Dec., 1264–1265
Pseudo-obstruction, chronic, intestinal, *1983*: Feb., 212
Pseudopolyps, *1982*: Oct., 862
in inflammatory bowel disease, *1982*: Oct., 907
Pulmonary. See also *Lung*.
Pulmonary artery banding, in neonates, *1981*: Oct., 1068
Pulmonary artery hypertension, congenital diaphragmatic hernia and, *1981*: Oct., 1031
Pulmonary atresia, neonatal repair of, *1981*: Oct., 1074
Pulmonary blood flow, diminished, in neonates, *1981*: Oct., 1066
excessive, in neonates, *1981*: Oct., 1068
Pulmonary contusion, in infants and children, *1981*: Oct., 1183
Pulmonary edema, in sepsis, *1981*: June, 688–689
Pulmonary embolectomy, history of transvenous approach, *1982*: June, 412–413
open, *1982*: June, 421–422
transvenous catheter, *1982*: June, 422–426
Pulmonary embolism, after total hip replacement, *1983*: June, 529
classification, *1982*: June, 415
diagnosis, *1982*: June, 413–414, 497–498; *1983*: June, 533
electrocardiographic changes in, *1983*: June, 533
Pulmonary failure. See also *Respiratory failure*.
Pulmonary fibrosis, and respiratory failure, *1983*: April, 351
Pulmonary function, complication after aneurysmectomy, *1983*: Dec., 1276–1277
impaired, pulmonary resection in, *1982*: April, **199–214**
Pulmonary hypoplasia, congenital diaphragmatic hernia and, *1981*: Oct., 1026
Pulmonary resections, complications of, *1983*: Dec., 1263–1264
Pulmonary stenosis, neonatal repair of, *1981*: Oct., 1074
Pulmonary venous connection, total anomalous, *1981*: Oct., 1065
Pulmonary venous hypertension and effect on lung, *1983*: Oct., 1069–1070
Pulses, peripheral, in compartment syndromes, *1983*: June, 554
Pulse volume recording, *1982*: June, 476, 478, 479
Pupil, evaluation of, in patient with head injury, *1982*: April, 303
Purpura, idiopathic thrombocytopenic, *1981*: Feb., 119
Pyelography, intravenous, for infected graft, *1982*: June, 522
Pyelopyelostomy, *1982*: Dec., 1014
Pyloroplasty, complications of, *1983*: Dec., 1172

Pyloroplasty *(Continued)*
historical background of, *1983*: Dec., 1167–1169
Pyridoxine, *1981*: June, 505
Pyruvate kinase deficiency, *1981*: Feb., 118

QUALITY assurance, in surgical practice, *1982*: Aug., **751–759**

"RACCOON eyes," *1982*: Feb., 48
Radiation injury, intestinal,
abdominotranssacral method of anal reconstruction, *1983*: Feb., 94
creation of stoma, *1983*: Feb., 91
diagnosis of, *1983*: Feb., 86–95
gastrointestinal examination, *1983*: Feb., 89
genitourinary examination, *1983*: Feb., 89
intraperitoneal exploration, *1983*: Feb., 90
phases of, *1983*: Feb., 84–85
sites for anastomoses, *1983*: Feb., 91–93
surgical management of, *1983*: Feb., **81–96**
visceral damage in, *1983*: Feb., 85–86
Radiation wound, chronic, *1982*: April, **309–319**
Radiography, in colon volvulus, *1982*: April, 253
in liver failure, *1982*: Feb., 161
of biliary tree, *1981*: Aug., **775–786**
of bullous emphysema, *1980*: Aug., **858**
of facial fractures, *1982*: Feb., 77
of pancreas, *1981*: Feb., 17–23
of skull, after trauma, *1982*: Feb., 50
of spinal injury, *1982*: Feb., 64–66
Radionuclide imaging, for acute scrotal pathology, *1982*: Dec., 960–961
for infected graft, *1982*: June, 521
in musculoskeletal trauma, *1983*: June, **567–585.** See also *Bone scanning.*
of pancreas, *1981*: Feb., 22–23
Radionuclide phlebography, *1982*: June, 492
Radiotherapy, for malignant melanoma, *1981*: Dec., 1255
for metastatic seminoma, *1981*: Dec., 1332
for nonseminomatous testicular cancer, *1981*: Dec., 1333; *1982*: Dec., 1125
for seminoma, *1982*: Dec., 1124–1125
plus surgery, for nonseminomatous testicular cancer, *1981*: Dec., 1334
preoperative, for large bowel cancer, *1981*: Dec., 1313–1315
Radiotherapy *(Continued)*
preoperative, for rectal carcinoma, *1981*: Dec., 1300–1301, 1302–1303
postoperative, for rectal carcinoma, *1981*: Dec., 1301, 1304, 1305
"sandwich" techniques, for rectal carcinoma, *1981*: Dec., 1304
Radius, fractures of, *1983*: June, 656–657
Ramirez winged shunt, *1982*: June, 538
Random skin flap, for radiation wound, *1982*: April, 312
Randomized clinical trial, role in evaluation of new operations, *1982*: Aug., **761–769**
Rauwolfia alkaloid, and perioperative management of surgical patients, *1983*: Oct., **1054**
Recommended dietary allowance (RDA), *1981*: June, 490, 754–756, 757
Rectal surgery, colon and, symposium on, *1983*: Feb., **1–217**
Rectocele, *1983*: Feb., 209
Rectovaginal fistulae, causes of, *1983*: Feb., 63–66
choice of operations, *1983*: Feb., 76–78
colostomy in, *1983*: Feb., 75, 76
conversion to perineal laceration, *1983*: Feb., 67
fistulotomy for, *1983*: Feb., 67
high or low, *1983*: Feb., 62
layer closure, *1983*: Feb., 68
transanal approach, *1983*: Feb., 69
transsphincteric approach, *1983*: Feb., 69
vaginal approach, *1983*: Feb., 68
management of, *1983*: Feb., **61–79**
sliding flap advancements, *1983*: Feb., 69–73
sphincter-preserving repairs, *1983*: Feb., 73–75
timing of operation, *1983*: Feb., 66
Rectum. See also *Large bowel.*
abdominal perineal resection of, complications, *1983*: Dec., 1227–1228
aganglionic. See *Hirschsprung's disease.*
bleeding from, colonoscopic diagnosis and management, *1982*: Oct., **897–903**
carcinoma of, combination chemotherapy for, *1981*: Dec., 1318–1319
postoperative radiotherapy for, *1981*: Dec., 1301, 1304, 1305
preoperative radiotherapy for, *1981*: Dec., 1300–1301, 1302–1303
"sandwich" radiotherapy for, *1981*: Dec., 1304
cancer of, surgical options, *1983*: Feb., 129–135
cryosurgery, *1983*: Feb., 130
electroexcision, *1983*: Feb., 130
laser vaporization, *1983*: Feb., 130
resection, abdominoperineal, with anastomosis, *1983*: Feb., 132–133

Rectum *(Continued)*
cancer of, surgical options, resection,
anterior, with colorectal anastomoses, *1983*: Feb., 131–132
anteroposterior, with anastomosis, *1983*: Feb., 133
Hartmann, extended, *1983*: Feb., 131
with colostomy, *1983*: Feb., 131
endoscopic examination of, *1982*: Oct., 871
Reefing, in sphincter repair, *1983*: Feb., 183
Reflux, gastroesophageal. See also *Gastroesophageal reflux*.
alcohol and, *1983*: Aug., 844
and esophageal emptying, *1983*: Aug., 844
antacids and, *1983*: Aug., 843
antireflux procedures, *1983*: Aug., 881–882
defenses against, *1983*: Aug., **787–799**
esophageal myotomy and, *1983*: Aug., **877–884**
medical management of, *1983*: Aug., **841–850**
obesity and, *1983*: Aug., **869–876**
endoscopy in, *1983*: Aug., 872, 874
manometry in, *1983*: Aug., 872, 874
pulmonary function test in, *1983*: Aug., 872, 874
preoperative, *1983*: Aug., 880–881
Schatzki ring and, *1983*: Aug., 792
treatments of, *1983*: Aug., 846
hiatal hernia and, *1983*: Aug., 845
Regionalization, of surgical procedures, *1982*: Aug., **657–668**
Remodeling of bone, in children, *1983*: June, 631–633
Renal artery stenosis, percutaneous transluminal angioplasty for, *1982*: June, 362–364
Renal cell carcinoma. See *Adenocarcinoma, renal*.
Renal dysfunction, use of antimicrobial agents in, *1982*: April, **333–340**
Renal failure. See also *Kidney, failure*.
acute, *1983*: April, 319–321
in surgical patients, *1983*: April **357–377**
acute tubular necrosis, *1983*: April, 362–364
hyperalimentation in, *1983*: April, 371–373
intrinsic parenchymal renal disease, *1983*: April, 362
mortality, *1983*: April, 369–370
multiple system failure, *1983*: April, 368–369
oliguria, clinical patterns, *1983*: April, 365–368
Renal failure *(Continued)*
acute, in surgical patients, postrenal causes, *1983*: April, 362
prerenal causes, *1983*: April, 359–362
complication after aneurysmectomy, *1983*: Dec., 1277–1278
Renal osteodystrophy, *1983*: June, 666
Renin-angiotensin axis, *1982*: Feb., 134, 136
Replantation, of digits, *1981*: April, **383–394**; *1983*: June, 738–740
Residents, surgical, output of, *1982*: Aug., 586–587
Respiration, anesthesia, and, *1983*: Oct., 1070–1071
cardiac drugs and, *1983*: Oct., 1071
pulmonary venous hypertension and, *1983*: Oct., 1069–1070
thoracic surgery and, *1983*: Oct., 1072–1073
postoperative physiologic changes in, *1982*: April, 211–212
Respiratory complications, after splenectomy, *1983*: Dec., 1315–1316
Respiratory disease, preoperative risk factors in patient with, *1982*: April, 205
Respiratory distress syndrome, acute. See *Acute respiratory distress syndrome*.
adult. See *Adult respiratory distress syndrome*.
Respiratory dysfunction, and space-occupying lesions, *1983*: Oct., 1071
Respiratory failure. See also *Pulmonary failure*.
after pulmonary resection, *1983*: Dec., 1264–1265
after trauma, *1981*: June, 674–675
Respiratory risk factors, and surgical outcome, *1983*: Oct., 1119–1120
Respiratory system, monitoring, in pediatric surgery, *1981*: Oct., 1003, 1006
Resting energy expenditure (REE), formula, *1981*: June, 552
Retinol, *1981*: June, 498
Retinol-binding protein, serum, assessment of visceral protein, *1981*: June, 458
Retroperitoneum, CT of, *1982*: Dec., **919–940**
Rhizotomy, percutaneous, for low back pain, *1983*: June, 526
Rib, fracture of, as cause of ventilatory impairment, *1982*: Feb., 98
Riboflavin, *1981*: June, 503
Rickets, vitamin D–resistant, *1983*: June, 666
Ridge sensitometer test, *1981*: April, 312
Risk factors and surgical outcome, assessment of, *1983*: Oct., **1113–1126**
and perioperative mortality, *1983*: Oct., 1123–1124
ASA physical status code and, *1983*: Oct., 1117–1119

Risk factors and surgical outcome *(Continued)*
assessment of, cardiac invasive monitoring and, *1983*: Oct., 1120–1121
epidemiologic factors, *1983*: Oct., 1121–1122
hypertension, *1983*: Oct., 1116–1117
respiratory risk factors, *1983*: Oct., 1119–1120
Roentgen examination. See *Radiography* or specific procedure.
Rouxen-Y drainage, and biliary-pancreatic esophagitis, *1983*: Aug., 851–858
length of afferent jejunum, *1983*: Aug., 856
length of long limb, *1983*: Aug., 856
Rowachol, for gallstones, *1981*: Aug., 871
Rubber-band dynamic splint, for finger injuries, *1981*: April, 284

SAEGESSER'S sign, *1981*: Feb., 3
Salter-Harris classification of fractures, *1983*: June, 639
Saphenous vein, as arterial prosthesis, *1982*: June, 507
bypass, for impotency, *1982*: Dec., 989–990
stripping, complications of, *1983*: Dec., **1303–1311**
technique of, *1983*: Dec., 1306–1308
Sarcoma, musculoskeletal, *1983*: June, **671–696**. See also *musculoskeletal sarcoma*.
Schatzki ring, *1983*: Aug., 890–891
gastroesophageal reflux and, *1983*: Aug., 792
Schistosomal colitis, endoscopic appearance, *1982*: Oct., 909
Scintiscanning, gastroesophageal, in children, *1981*: Oct., 1108
Scintigraphy, in diagnosis of bone tumors, 1983: June, 679
Scintigraphy, renal, *1982*: Dec., 1108
Scleroderma reflux esophagitis, surgical management of, *1983*: Aug., **859–867**
Sclerotherapy, and control of variceal bleeding, *1983*: Aug., 906–909
use of endoscopy, *1983*: Aug., 907
Scribner shunt, *1982*: June, 538
Scrotum, See also *Testes*.
acute pathology of, *1982*: Dec., **955–970**
fat necrosis of, *1982*: Dec., 967
idiopathic edema of, *1982*: Dec., 966–967
trauma to, *1982*: Dec., 968–969
Second opinion programs, *1982*: Aug., 620–621
surgical, current status of, *1982*: Aug., **705–719**
Secretin, *1981*: Feb., 51
Segmental blood pressure profile, *1982*: June, 475–476
Seminoma, *1982*: Dec., 1119
metastatic, radiotherapy for, *1981*: Dec., 1332
retroperitoneal lymph node dissection for, *1981*: Dec., 1332–1333
Sensation, in peripheral nerves, *1981*: April, 306
Sensitivity analysis, use in cost-benefit and cost-effective analysis, *1982*: Aug., 743–744
Separation anxiety, in children, *1982*: Dec., 944–945
Sepsis. See also *Infection*.
adult respiratory distress syndrome and, *1983*: April, 349
after anorectal operation, *1983*: Dec., 1253–1254
as complication of saphenous vein stripping, *1983*: Dec., 1310
colorectal surgery and, *1983*: Dec., 1222
effect on energy expenditure, *1981*: June, 550–551
graft, complication after aneurysmectomy, *1983*: Dec., 1279–1282
hepatic failure and, *1981*: Feb., 226–228
mastectomy and, *1983*: Dec., 1336–1337
metabolic alterations of cardiovascular system, *1983*: April, 380–384
autocannibalism, *1983*: April, 387–389
consumption of oxygen, *1983*: April, 382
fuel-energy deficit, *1983*: April, 389–393
hyperdynamic states and respiratory distress, *1983*: April, 384–386
states of, *1983*: April, 383–384
supportive treatment, *1983*: April, 394–396
multiple organ failure and fuel-energy deficit, *1983*: April, 389–393
nutritional support, *1981*: June, **681–690**; *1983*: April, 396–397
postsplenectomy, *1983*: Dec., 1321–1326
prevention of, *1983*: Dec., 1324–1326
protein metabolism, *1981*: June, 525
pulmonary edema in, *1981*: June, 688–689
replacement of fluids, *1983*: April, 449
shock, *1983*: April, 306–307
susceptibility to, skin anergy test, *1981*: June, 684–685
total joint arthroplasty and, *1983*: June, 699
Seroma, mastectomy and, *1983*: Dec., 1338–1339
Sexual dysfunction, after abdominal aortic reconstruction, *1983*: Dec., 1286–1287
complications of colorectal surgery and, *1983*: Dec., 1228

Shock, classification of, *1982*: Feb., 12
hemorrhagic, impairment of venous return in, *1982*: Feb., **17–29**
hypovolemic, venous access in, *1982*: Feb., 12–13
Shoulder, dysfunction, mastectomy and, *1983*: Dec., 1345–1346
repair of, in brachial plexus injury, *1981*: April, 344
total replacement of, *1983*: June, 715–718
Shunt, atheromatous embolization and, during carotid endarterectomy, *1983*: Dec., 1297
Shunting procedure. See also name of specific procedure or body part.
Shunting operations, for esophageal varices, *1981*: Feb., **209–219**
Sick sinus syndrome, prophylactic temporary pacing, *1983*: Oct., 1109
Sigmoid, examination of, endoscopic, *1982*: Oct., 872–873
volvulus of, in geriatric patient, *1982*: April, 257–258
Sinography, for diagnosis of infected graft, *1982*: June, 521
Sinus bradycardia, postoperative, *1983*: Oct., 1101
Sinus tachycardia, postoperative, *1983*: Oct., 1094–1095
Sinus tracts, repair of groin hernia and, *1983*: Dec., 1370
Sinuvertebral nerve, *1983*: June, 517
Skeletal traction, in children, *1983*: June, 650
Skeletal trauma, venous thrombosis and, *1983*: June, 530–532
Skinfold thickness, measurement, *1981*: June, 442–446
reference values, *1981*: June, 443–444
Skin traction, for fractures in children, *1983*: June, 648
Skip lesions, *1983*: Feb., 36
Skull, compound depressed fracture of, *1982*: Feb., 55–56
Small bowel, endoscopy of, *1982*: Oct., **821–824**
resection of, massive, nutritional problems after, *1981*: June, 727
trauma to, *1982*: Feb., 108
Small-Carrion prosthesis, *1982*: Dec., 991, 992
Snake bite, venomous, compartment syndrome after, *1983*: June, 550
Snare device, for colonoscopic polypectomy, *1982*:878–879
Soave's procedure, *1983*: Feb., 171, 210–211
Sodium cholate, dissolution of retained bile duct stones, *1981*: Aug., 945; *1982*: Oct., 830
Soft tissue, facial, injury to, *1982*: Feb., 78–83
Soft tissue sarcomas, *1983*: June, 671, 674. See also *Musculoskeletal sarcomas*.
Soft tissue injury, compartment syndrome after, *1983*: June, 553
in pediatric fractures, *1983*: June, 646–648
surgical staging of, *1983*: June, 675–678
Sonography, *1982*: June, 521, 522
SOSSUS, impact of on surgery, *1982*: Aug., **603–611**
Spasm, diffuse esophageal, *1983*: Aug., **951–962**
Spherocytosis, hereditary, splenectomy for, *1981*: Feb., 117
Sphincter, esophageal, measurement of, *1983*: Aug., 779
lower esophageal, existence of, *1983*: Aug., 788
Sphincteroplasty with transampullary septectomy, *1981*: Aug., 917–919
for papillary disease, *1981*: Aug., 913–915
Sphincterotomy, duodenoscopic, for ductal stones, *1982*: Oct., 825–831
endoscopic, in acute pancreatitis, *1982*: Oct., 845–846
in chronic pancreatitis, *1982*: Oct., 846
Spinal cord, injury to, *1982*: Feb., **61–72**
Spine, facet joints of, *1983*: June, 517, 518
flexion injury of, *1983*: June, 522
functional anatomy of, *1983*: June, 515
injury to, anesthesia in, *1982*: Feb., 41–42
care during transportation, *1982*: Feb., 62
myositis ossificans after, *1983*: June, 578
stenosis of, computed tomography in, *1983*: June, 593
trauma to, computed tomography in, *1983*: June, 589–591
Spleen, autotransplantation, *1981*: Feb., 132
immunologic role of, *1981*: Feb., 142–144
infection of, *1981*: Feb., 127–128
injuries to, *1981*: Feb., 3–6, **127–134**
trauma to, in children, *1981*: Oct., **1165–1180**
Splenectomy, alternatives to, *1981*: Feb., 129–133
complications of, *1983*: Dec., **1313–1329**
fever after, *1983*: Dec., 1320–1321
for hematologic disease, *1981*: Feb., **117–125**
for trauma, *1981*: Feb., 3–6
infection after, *1981*: Feb., 128, **135–155**
injury to pancreas, *1983*: Dec., 1318
injury to stomach, *1983*: Dec., 1318–1319
sepsis after, *1983*: Dec., 1321–1326
prevention of, *1983*: Dec., 1324–1326
thrombocytosis after, *1983*: Dec., 1319–1320
thrombosis after, *1983*: Dec., 1320

Splenorrhaphy, *1981*: Feb., 130
in children, *1981*: Oct., 1172
Splinting device, colonoscopic, perforation caused by, *1982*: Oct., 893
use in colonoscopy, *1982*: Oct., 875–876
Spondylitis, ankylosing, *1983*: June, 524
Stab wounds, abdominal, *1982*: Feb., 107
Stamey procedure, *1982*: Dec., 1038–1042
Starling equation, *1982*: Feb., 123
Starvation, clinical changes in, *1981*: June, 537–538
prolonged, metabolic effects, *1981*: June, 536–537
stressed, metabolism in, *1981*: June, 538–541
uncomplicated, metabolic effects, *1981*: June, 529–535
Steffee arthroplasty, *1983*: June, 730–731
Steinmann pin traction, *1983*: June, 650
Stenosis, aortic, anesthesia of the surgical patient with, *1983*: Oct., 1043–1044
mitral, anesthesia of the surgical patient with, *1983*: Oct., 1044
Sternum, cleft, *1981*: Oct., 1199
Stomach, injury to, splenectomy and, *1983*: Dec., 1318–1319
Stomal obstruction, as complication of gastric restrictive procedures, *1983*: Dec., 1185–1187
Stomal ulcers, as complication of gastric restrictive procedure, *1983*: Dec., 1188
Straight leg test, *1983*: June, 520
Stress, metabolic effects, *1981*: June, 513–514
Stress fractures, diagnosis of, *1983*: June, 574
in children, *1983*: June, 666
Stress incontinence, urinary, *1982*: Dec., **1035–1045**
Stress ulcers, and multiple organ failure, *1983*: April, 322
Stricture, anal, after anorectal operation, *1983*: Dec., 1255–1256
esophageal, esophagoscopy of, *1983*: Aug., 809
reflux-related, *1983*: Aug., 887–896
esophageal plastic procedures, *1983*: Aug., 899–901
midesophageal, *1983*: Aug., 888–889
nonpeptic, *1983*: Aug., 893–894
peptic, *1983*: Aug., 891–893
Schatzki ring, *1983*: Aug., 890–891
upper esophageal, *1983*: Aug., 887–888
Stroke, acute, management of, *1982*: June, **467–472**
as complication of carotid endarterectomy, *1983*: Dec., 1296–1300
as result of atheromatous embolization during carotid endarterectomy, *1983*: Dec., 1296
Stroke *(Continued)*
postarteriography, *1982*: June, 470
postendarterectomy, *1982*: June, 470–472
Study on Surgical Services for the United States (SOSSUS), impact of on surgery, *1982*: Aug., **603–611**
Succinylcholine, cardiovascular effects of, *1983*: Oct., 1041
in pediatric anesthesia, *1981*: Oct., 1000
in spinal injury, *1982*: Feb., 41–42
Sugiura procedure, and control of bleeding varices, *1983*: Aug., 911–913
Sulfobromophthalein sodium dye, *1981*: Feb., 197
Superficial femoral vein bypass, *1982*: June, 404
Surgeons, in United States, practice characteristics of, *1982*: Aug., **641–656**
non–board-certified, number of, *1982*: Aug., 585
number of, present and future needs, *1982*: Aug., **579–602**
operative loads of, *1982*: Aug., 644, 645–646, 787
Surgery. See also names of organs or parts and procedures.
decisions in, reliability and reproducibility of, *1982*: Aug., **721–735**
role of cost-effective and cost-benefit analysis, *1982*: Aug., 747
federal legislation and the future of, *1982*: Aug., **771–779**
manpower in, present and future needs for, *1982*: Aug., **579–602**
microvascular. See *Microvascular surgery.*
mortality and morbidity rates in, variations in, *1982*: Aug., 786
mortality in, association with volume of, *1982*: Aug., 655, 786
physician assistants in, *1982*: Aug., **669–675**
procedures in, classification of, *1982*: Aug., 688–689
regionalization of, *1982*: Aug., **657–668**
quality assurance in, *1982*: Aug., **751–759**
quality of care in, variations in, *1982*: Aug., 785–786
rates of, association with mortality, *1982*: Aug., 655, 786
differences in within same country, *1982*: Aug., 630–631
in United States, *1982*: Aug., **539–578**
compared with England, Canada and Wales, *1982*: Aug., 628–630
compared with other countries, *1982*: Aug., 619–620
related to payment plan, *1982*: Aug., 754
variations in, *1982*: Aug., 782–785

Surgery *(Continued)*
rates of, variations in, significance of, *1982*: Aug., **627–639**
unnecessary, *1982*: Aug., **613–625**, 753, 785
Surgical patient, hypertensive, *1983*: Oct., **1017–1033**
with heart disease, clinical assessment of, *1983*: Oct., **977–983**
respiratory care of, *1983*: Oct., **1069–1079**
swelling, postischemic, *1983*: June, 549
Senson procedure, *1983*: Feb., 169, 210
Syme's amputation, *1983*: June, 758
Syndrome. See specific syndrome.
Synovial fluid, role in tendon nutrition, *1981*: April, 274
Synovitis, traumatic, *1983*: June, 572

T-TUBE, drainage after common bile duct stone removal, *1981*: Aug., 905–906
extraction of common bile duct stones, *1981*: Aug., 906
removal, and complication of cholecystectomy, *1983*: Dec., 1195
T-tube cholangiography, postoperative, discovery of retained stones, *1981*: Aug., 943–944
Tachyarrhythmias, during noncardiac surgery, *1983*: Oct., 1108
Tachycardia, paroxysmal supraventricular, in pediatric surgical patients, *1983*: Oct., 1005
therapy of, *1983*: Oct., 1096–1097
ventricular, therapy for, *1983*: Oct., 1100–1101
Tactile gnosis, testing of, *1981*: April, 315
in infants and children, Oct., 1194
^{99m}Tc cholescintigraphy, *1981*: Aug., **827–842**
Teeth, avulsed, replantation of, *1982*: Feb., 90
Tendon, blood supply of, *1981*: April, 273
intrinsic healing potential of, *1981*: April, 274–275
nutrition of role of synovial fluid in, *1981*: April, 274
of hand, anatomic nomenclature of, *1981*: April, 267–268
Tension pneumothorax, *1980*: Aug., 965–966; Dec., 1545; *1982*: Feb., 11, 101
Teratocarcinoma, *1982*: Dec., 1119
Teratoma, *1982*: Dec., 1119
Testes. See also *Scrotum*.
cancer, nonseminomatous, chemotherapy for, *1981*: Dec., 1333–1334
radiotherapy for, *1981*: Dec., 1333
surgery plus radiotherapy for, *1981*: Dec., 1334
Testes *(Continued)*
torsion of, extravaginal, *1982*: Dec., 955–956
intravaginal, *1982*: Dec., 956–959
tumor of, *1982*: Dec., 967, **1119–1127**
undescended, age for elective repair of, *1982*: Dec., 949
Testicular appendages, torsion of, *1982*: Dec., 965–966
Testicular atrophy, repair of groin hernia and, *1983*: Dec., 1370
Testosterone, for impotency, *1982*: Dec., 986
Tests. See also specific test.
for muscle strength, *1981*: April, 303–304
Tetracycline, use in patients with hepatic dysfunction, *1982*: April, 335
Tetralogy of Fallot, correction of, *1981*: Oct., 1066
Thal procedure, esophageal stricture and, *1983*: Aug., 899
Thermal injuries, compartment syndromes after, *1983*: June, 546–548
Thermogenesis, *1981*: June, 548–549
Thermoregulation, in pediatric surgery, *1981*: Oct., 1005
Thiamine, *1981*: June, 502–503
Thigh, thrombi in, *1983*: June, 529–530
Thiopental, cardiovascular effects of, *1983*: Oct., 1039–1040
for large bowel carcinoma, *1981*: Dec., 1297, 1315
for superficial bladder tumors, *1981*: Dec., 1335–1336
Thomas shunt, *1982*: June, 539
Thoracic. See also *Chest*.
Thoracic duct, injury to, in children, *1981*: Oct., 1188
Thoracic surgery, complications of, *1983*: Dec., **1259–1268**
Thoracic outlet syndrome, *1982*: June, 377–380
Thoracostomy, tube, *1982*: Feb., 98–99
Thoracotomy, *1982*: Feb., 99
for pericardial tamponade, *1982*: Feb., 11
indications in children, *1981*: Oct., 1183
Thorax, trauma to, *1982*: Feb., 97–104
anesthesia in, *1982*: Feb., 41
in children, *1981*: Oct., **1181–1197**
Thromboangiitis obliterans, *1982*: June, 383
Thrombocytopenia, and multiple organ failure, *1983*: April, 326, 327
splenectomy for, *1981*: Feb., 119–120
Thrombocytosis, postsplenectomy, *1983*: Dec., 1319–1320
Thromboembolism, complications of gastric restrictive procedure, *1983*: Dec., 1188
of saphenous vein stripping, *1983*: Dec., 1310

Thromboembolism *(Continued)*
venous, in orthopedic patient, *1983*: June, 529–537
Thrombophlebitis, deep, with a life-threatening illness, *1983*: Oct., 1000
in peripheral parenteral nutrition, *1981*: June, 601
secondary to intravenous injection of diazepam, *1982*: Oct., 891
superficial, *1982*: June, 496
with a life-threatening illness, *1983*: Oct., 1000
Thrombosis, deep venous, diagnosis of, *1983*: June, 532–533
prophylaxis of, *1983*: June, 533–535
treatment of, *1983*: June, 535
inferior vena caval, CT detection, *1982*: Dec., 933
of deep vein, acute, *1982*: June, 493
recurrent, *1982*: June, 494
postsplenectomy, *1983*: Dec., 1320
Thrombotic threshold velocity, *1982*: June, 508
Thromboxane A_2, function of, *1983*: April, 273–275
Thumb, deformity of, in cerebral palsy, treatment, *1981*: April, 402
Thumb-in-palm deformity, *1981*: April, 403
Thyroidectomy, complications of, *1983*: Dec., **1353–1361**
hemorrhage and, *1983*: Dec., 1354–1355
hyperparathyroidism and, *1983*: Dec., 1358–1359
mortality from, *1983*: Dec., 1353–1354
nerve paralysis and, *1983*: Dec., 1355–1357
myxedema after, *1983*: Dec., 1359–1360
Tibia, fractures of, *1983*: June, 661
external fixation of, *1983*: June, 610–611
growth plate injury with, *1983*: June, 643, 645
Tillaux fracture, *1983*: June, 662
Tinel's sign, *1981*: April, 306–307
Tissue committee, *1982*: Aug., 616–617, 757
Tissue transfer, in orthopedic injuries, *1983*: June, 741–742
T lymphocytes, *1983*: April, 246–247
TNM staging, of bronchial carcinoma, *1981*: Dec., 1283
Tobramycin, for intra-abdominal abscess, *1982*: April, 234
Toe(s), amputation of, *1983*: June, 755
transplantation of, for digital aplasia, *1981*: April, 4
Toe transfer, *1983*: June, 744
Tonsillectomy and adenoidectomy, fictional case history, use in study of surgical decision-making, *1982*: Aug., 726
Total parenteral nutrition. See *Hyperalimentation and Nutrition, total parenteral (TPN)*.
Trace element, deficiencies, syndromes of, *1981*: June, 440
Tracheobronchial tree, injury to, in children, *1981*: Oct., 1190
rupture of, *1980*: Dec., 1546; *1982*: Feb., 101
Tracheoesophageal fistula, *1981*: Oct., **1051–1061**
Tracheostomy, *1982*: Feb., 75; *1983*: April, 420–422
Traction, for fractures in children, *1983*: June, 649–653
skeletal, for spinal injury, *1982*: Feb., 68–69
Transaminase, serum, *1981*: Feb., 201
Transfer factor, as immunotherapy for malignant melanoma, *1981*: Dec., 1251
Transferrin, serum, assessment of visceral protein, *1981*: June, 457–458
Transhepatic cholangiography, percutaneous. See *Percutaneous transhepatic cholangiography*.
Transplantation, of pancreas, *1981*: Feb., **85–98**
pancreatic islet cell, *1981*: Feb., 91–95
Transureteroureterostomy, *1982*: Dec., 1014–1015
Trauma, abdominal, *1982*: Feb., **105–111**
blunt, CT in, *1982*: Dec., 933
blunt chest, and respiratory failure, *1983*: April, 348–349
complications of, bone scanning in evaluation of, *1983*: June, 575–580
during pregnancy, *1982*: April, **275–289**
effect on body composition, *1981*: June, 732–734
effect on energy expenditure, *1981*: June, 550–551
effects on host defense mechanisms, *1982*: Feb., **167–181**
facilities for treating, categorization of, *1982*: Feb., 3–4
hepatic, *1981*: Feb., 11–14
hemorrhage and, *1983*: April, 305–314
major, anesthesia for, *1982*: Feb., **31–45**
maxillofacial, *1982*: Feb., **73–96**
metabolic response to, *1981*: June, 672–674; *1982*: Feb., 183–185
musculoskeletal, bone scanning in, *1983*: June, **567–585**
nutrition in, *1981*: June, 671–679; *1982*: Feb., 185–190
orthopedic, computed tomography in, *1983*: June, 588–595
pancreatic, *1981*: Feb., 6–11
protein metabolism after, *1981*: June, 524

Trauma *(Continued)*
renal, *1982*: Dec., 1049–1062
classification of, *1982*: Dec., 1057–1058
response to, *1982*: Feb., 133–145
with pancreatic trauma, *1982*: Dec., 1055
scrotal, *1982*: Dec., 968–969
severe, eye injuries in patients with, *1982*: April, **301–308**
splenic, *1981*: Feb., 3–6, 127–134
and hepatic, in children, *1981*: Oct., **1165–1180**
symposium on, *1982*: Feb., **1–194**
thoracic, *1982*: Feb., **97–104**
in children, *1981*: Oct., **1181–1197**
tissue transfer in, *1983*: June, 741–742
to bladder, *1982*: Dec., 1069–1070
to upper extremity arteries, *1982*: June, 381–382
to ureter, *1982*: Dec., 1062–1069
to urinary tract, examination of trauma patient for, *1982*: Dec., 1047–1049
vascular, acute civilian, management of, *1982*: Feb., **113–119**
Trauma care, regionalization of, controversies in, *1982*: Feb., 4–6
Trauma patients, guidelines for categorizing, *1982*: Feb., 4, 5
initial assessment of, *1982*: Feb., 9
Traumatic arthritis, diagnosis of, *1983*: June, 577–578
Trendelenburg position, in shock, *1982*: Feb., 27
Triage, of head injury, *1982*: Feb., 53
of trauma patients, guidelines for, *1982*: Feb., 4, 5
Triethylenethiophosphoramide. See *Thiotepa*.
Tube feeding, *1982*: April, 326. See also *Endotracheal intubation*; and *Enteral nutrition*.
nasoduodenal, *1981*: June, 610–611
Tuberculosis, indications for, *1982*: April, 201–202
Tubocurarine, cardiovascular effects of, *1983*: Oct., 1041
Tumor. See also *Carcinoma*, specific tumors, and names of organs.
Tumor(s), bone, *1983*: June, 581
chromaffin. See *Pheochromocytoma*.
germ cell. See also *Tumor, testicular*.
hepatic, *1981*: Feb., **181–196**
in children, *1981*: Oct., **1209–1217**
malignant, *1981*: Feb., **169–180**
retroperitoneal, CT detection of, *1982*: Dec., 926
malignant, in children, *1981*: Oct., **1219–1237**
musculoskeletal. See *Musculoskeletal sarcoma*.
Tumor(s) *(Continued)*
superior sulcus, five-year survival rate of patients with, *1981*: Dec., 1285
testicular, *1982*: Dec., 967, **1119–1127**
nonseminomatous, classification of, *1982*: Dec., 1119
Two-point discrimination test, moving, *1981*: April, 311–312
Weber, *1981*: April, 310–311
TxA_2. See *Thromboxane* A_2.

Ulcers, as complication of saphenous vein stripping, *1983*: Dec., 1310
recurrent, as complication of vagotomy, *1983*: Dec., 1175–1176
stomal, as complication of gastric restrictive procedure, *1983*: Dec., 1188
Ulcer disease, visible vessel in patients with, *1982*: Oct., 801–804
Ulcerative colitis, chronic, carcinoma in, *1982*: Oct., 907–908
colectomy and ileorectal anastomosis, *1983*: Feb., 53–58
continent ileostomy in, *1983*: Feb., 49–52
ileoanal anastomosis, ileal pouch and, *1983*: Feb., 55–56
in children, *1981*: Oct., 1125–1131
mucosal proctectomy, ileoanal anastomosis and, *1983*: Feb., 56
TPN in, *1981*: June, 702
Ulna, fractures of, *1983*: June, 557
Ultrasonography, during pregnancy, *1982*: April, 282
for gallbladder disease, *1981*: Aug., 794–795
for renal carcinoma, *1982*: Dec., 1107
gray-scale, for intra-abdominal abscess, *1982*: April, 230
in acute cholecystitis, *1981*: Aug., 889
in biliary tract disease, versus CT, *1981*: Aug., 787–788
of biliary tree, *1981*: Aug., 800–801, 806
of liver, *1981*: Aug., 808, 812
and biliary system, *1981*: Aug., 791–794
of pancreas, *1981*: Feb., 28–32, 36–37, 101; Aug., 794
of pancreatic disease, *1981*: Aug., 814, 930
Umbilical vein grafts, *1982*: June, 504–505, 546
Unnecessary surgery, *1982*: Aug., **613–625**, 753, 785
Upper extremity, flaps for, *1981*: April, 294
implant arthoplasty in, *1981*: April, 369–382
injuries to, revascularization after, *1981*: April, **290–291**
severe, management, *1981*: April, **287–301**

Urecholine supersensitivity test, *1982*: April, 263
Ureter, anatomy of, *1982*: Dec., 1062–1063
  ileal replacement of, *1980*: June, 695, 697; *1982*: Dec., 1016
  surgical injury to, *1982*: Dec., 1064–1067
    as complication of colon surgery, *1983*: Dec., 1220
  trauma to, *1982*: Dec., 1062–1069
Ureteral obstruction, complication after aneurysmectomy, *1983*: Dec., 1278
Ureterocolic anastomosis, in children, *1981*: Oct., 1150
Ureteroileostomy, in infants and children, *1981*: Oct., 1148
Ureterostomy, in infants and children, *1981*: Oct., 1148
Ureteroureterostomy, end-to-end, *1982*: Dec., 1012
  Wallace conjoined, *1982*: Dec., 1004
Urethra, injury of, *1982*: Dec., 1071–1073
Urinary diversion, palliative, *1982*: Dec., **1025–1034**
  reversal, *1982*: Dec., 1009–1023
Urinary incontinence, in geriatric patient, *1982*: April, **261–274**
Urinary retention, after anorectal operation, *1983*: Dec., 1252–1253
Urinary sphincter, creation of from trigonal musculature, *1982*: Dec., 1020
Urinary tract. See also *Genital tract; Genitourinary tract.*
Urinary tract, injury to, and colorectal surgery, *1983*: Dec., 1223–1224
  reflux, diversion procedures in infants and children, *1981*: Oct., **1147–1164**
  trauma to, examination of trauma patient for, *1982*: Dec., 1047–1049
Urinary undiversion, timing and technique, *1982*: Dec., **1009–1023**
Urine, extravasation of, CT detection, *1982*: Dec., 929
Urobilinogen, in assessing liver function, *1981*: Feb., 199
Urography, intravenous, for renal mass lesions, *1982*: Dec., 1105, 1107
Urologic surgery, symposium on, *1982*: Dec., 917
Uropathy, obstructive, in Crohn's disease, *1983*: Feb., 32–33
Ursodeoxycholic acid, for gallstones, *1981*: Aug., 870–871
Uterus, gravid, trauma to, *1982*: April, 279–280
Utilization review, *1982*: Aug., 752–753

VAGOTOMY, complications of, *1983*: Dec., 1170–1172
  historical background, *1983*: Dec., 1169–1170
Vagotomy-pyloroplasty, elective, mortality of, *1983*: Dec., 1176–1177
  complications of, *1983*: Dec., **1167–1180**
  nutritional consequences of, *1983*: Dec., 1172–1173
Vagus nerve, injury after carotid endarterectomy, *1983*: Dec., 1294–1295
Valve, dysfunction, assessment before elective surgery, *1983*: Oct., 1008–1009
  femoral vein, transplant, *1982*: June, 396
  venous, transplantation, *1982*: June, 401
  transposition, *1982*: June, 405–406
Valvular heart disease, preoperative management of patients with, *1983*: Oct., 989–990
Valvular lesion, mixed, conflicts in management of, *1983*: Oct., 1045
Valvuloplasty, venous, *1982*: June, 396, 401–402, 405
Varices, esopnageal, endoscopic injection sclerosis for, *1982*: Oct., 812–818
  esophagoscopy of, *1983*: Aug., 809
  procedures to control bleeding from, *1983*: Aug. **905–914**
    ligation and resection, *1983*: Aug., 909–911
    portal-systemic shunting, *1983*: Aug., 905–906
    sclerotherapy, *1983*: Aug., 906–909
    Sugiura procedure, *1983*: Aug., 911–913
  recurrent, treatment of, after saphenous vein stripping, *1983*: Dec., 1309
Varicose veins, *1982*: June, 496–497
Vascular access, for chronic intravenous medication, *1982*: June, 546–549
  for dialysis, *1982*: June, 538–546
  techniques for, *1982*: June, **531–551**
Vascular grafts, current status, *1982*: June, **501–513**
  for traumatic injury, *1982*: Feb., 114
Vascular occlusion, with fractures in children, *1983*: June, 646
Vascular prostheses, infection of, *1982*: June, **515–530**
  classification, *1982*: June, 524–525
  operations for, use of prophylactic antibiotics, *1982*: June, 517
Vascular injury, acute civilian, management of, *1982*: Feb., **113–119**
Vascular surgery, penile, for impotency, *1982*: Dec., 987–991
Vas deferens, anatomy and physiology of, *1982*: Dec., 971–972
  severance from hernia repair, *1983*: Dec., 1365
Vasectomy, *1982*: Dec., 971–976
Vasoactive intestinal peptide, *1981*: Feb., 52
Vasodilators, use in shock, *1982*: Feb., 27
Vasovasostomy, *1982*: Dec., 976–980
Vater, ampulla of, cancer of, *1981*: Feb., **99–106**

Vein(s), deep, recurrent thrombosis, *1982*: June, 494
disease of, noninvasive tests for, *1982*: June, **489–500**
selected problems in, symposium on, *1982*: June, **345–552**
femoral, valve transplant, *1982*: June, 396
iliac, compression of, operation for, *1982*: June, 394–395
reconstructive surgery of, *1982*: June, 399–410
thrombosis of, acute, diagnosis, *1982*: June, 493
varicose, *1982*: June, 496–497
Vena cava, transvenous filtration of, history of procedures for, *1982*: June, 411–412
operation for, *1982*: June, 415–420
Venography, ascending, and saphenous vein occlusion, *1983*: Dec., 1306
for renal carcinoma, *1982*: Dec., 1108
Venous bypass, *1982*: June, **391–398**, 400–401
Venous insufficiency, chronic post-thrombotic, *1982*: June, 495
Venous occlusion, saphenous, ascending venography of, *1983*: Dec., 1306
Doppler probe of, *1983*: Dec., 1306
impedance plethysmography of, *1983*: Dec., 1306
photoplethysmography of, *1983*: Dec., 1305
Venous return, *1982*: Feb., 18–19
Venous stasis disease, *1982*: June, 495
Venous thrombosis. See also under *Thrombosis*.
Venous thrombosis, deep, diagnosis of, *1983*: June, 532–533
prophylaxis of, *1983*: June, 533–535
treatment of, *1983*: June, 535
in musculoskeletal trauma, *1983*: June, 530–532
Ventilation. See also specific modes.
Ventilation, intermittent mandatory. See *Intermittent mandatory ventilation*.
and intermittent mandatory ventilation. *1983*: April, 424; Oct., 1076–1078
mechanical, *1983*: April, **417–438**
"fighting" the ventilator, *1983*: April, 433–435
intermittent mandatory, *1983*: April, 424; Oct., 1076–1078
synchronized, *1983*: April, 424
positive end-expiratory pressure, *1982*: Feb., 129; *1983*: April, 343–344, 426
clinical trials in, *1983*: April, 426–428
types, *1983*: April, 422–424
weaning, *1983*: April, 435–437
normal, *1983*: April, 337–339
Ventricular compliance, in critically ill patient, *1983*: April, 458–459
Ventricular premature depolarization, postoperative, *1983*: Oct., 1100
Ventricular tachycardia, therapy for, *1983*: Oct., 1100–1101
Verapamil, therapy for angina pectoris, *1983*: Oct., 1085
therapy for supraventricular paroxysmal tachycardia, *1983*: Oct., 1096–1097
Vesicostomy, in infants and children, *1981*: Oct., 1149
Vessels, great. See *Great vessels*.
Veterans Administration Surgical Oncology Group, principal investigators, *1981*: Dec., 1312
Vinblastine, for nonseminomatous testicular cancer, *1981*: Dec., 1333–1334
in combination chemotherapy for malignant melanoma, *1981*: Dec., 1253
Visceral ischemia, chronic, *1982*: June, **345–356**
Visual acuity testing, in traumatized patient, *1982*: April, 302–303
in congestive heart failure, *1981*: June, 644
Vitamin deficiencies, clinical signs of, *1981*: June, 440
Vitamin D–resistant rickets, *1983*: June, 666
Vitamin requirements, *1981*: June, 498–506
Volkmann contracture, *1983*: June, 539
Volvulus, of colon, in geriatric patient, *1982*: April, **249–260**
Vomiting, bilious, after truncal vagotomy and pyloroplasty, *1983*: Dec., 1173
von Frey test, *1981*: April, 307–309

Warfarin sodium, prophylactic use of, *1983*: June, 533
Water, normal needs, *1981*: June, 491–492
Wedge resection, for lung cancer, indications, *1982*: April, 201
Weight. See *Body weight*.
Weight loss, in pancreatic cancer, *1981*: Feb., 99
Wernig-Hoffmann disease, *1981*: Oct., 1024
Wilms' tumor, *1981*: Oct., 1220–1225, 1227
Wirsung's duct, endoscopic obstruction of, *1981*: Oct., 847–851
Wound(s). See also *Trauma* and under names of organs.
chronic radiation, *1982*: April, **309–319**
infection, as complication of appendectomy, *1983*: Dec., 1239
management of, *1983*: Dec., 1239

Wound(s) *(Continued)*
infection, as complication of cholecystomy, *1983*: Dec., 1194–1195
as complication of gastric restrictive procedure, *1983*: Dec., 1188
Wrinkled finger sign, *1981*: April, 307
Wrist, total replacement of, *1983*: June, 723–726

X-ray. See *Radiography*.

ZENKER'S diverticulum, *1983*: Aug., 815–824
Zinc deficiency, with parenteral nutrition in children, *1981*: Oct., 1096
Zygoma, fractures of, *1982*: Feb., 90–92